```xml
<?xml version="1.0" encoding="ISO-8859-1"?>
<TEI xmlns:tei="http://www.tei-c.org/ns/1.0"
    xmlns:diaml="http://www.iso.org/diaml">
    <profileDescr>
        <particDescr xml:id="p1">system</particDescr>
        <particDescr xml:id="p2">player</particDescr>
    </profileDescr>
    <text>
        <div>
            <timeline xml:id="TL01" unit="s">
                <when xml:id="TW0" absolute="00:00:00"/>
                <when xml:id="TWSp10" interval="0" since="#TW0"/>
                <when xml:id="TWEp10" interval="0.26" since="#TW0"/>
                <when xml:id="TWSp11" interval="0.26" since="#TW0"/>
                <when xml:id="TWEp11" interval="0.75" since="#TW0"/>
                <when xml:id="TWSp12" interval="0.75" since="#TW0"/>
                <when xml:id="TWEp12" interval="1.79" since="#TW0"/>
                <when xml:id="TWSp13" interval="1.79" since="#TW0"/>
                <when xml:id="TWEp13" interval="2.02" since="#TW0"/>
                <when xml:id="TWSp14" interval="2.02" since="#TW0"/>
                <when xml:id="TWEp14" interval="2.1" since="#TW0"/>
                <when xml:id="TWSp15" interval="2.1" since="#TW0"/>
                <when xml:id="TWEp15" interval="2.32" since="#TW0"/>
                <when xml:id="TWSp16" interval="2.32" since="#TW0"/>
                <when xml:id="TWEp16" interval="2.42" since="#TW0"/>
                <when xml:id="TWSp17" interval="2.42" since="#TW0"/>
                <when xml:id="TWEp17" interval="2.48" since="#TW0"/>
                <when xml:id="TWSp18" interval="2.48" since="#TW0"/>
                <when xml:id="TWEp18" interval="2.71" since="#TW0"/>
                <when xml:id="TWSp19" interval="2.71" since="#TW0"/>
                <when xml:id="TWEp19" interval="3.61" since="#TW0"/>
                <when xml:id="TWSp110" interval="3.61" since="#TW0"/>
                <when xml:id="TWEp110" interval="4.38" since="#TW0"/>
                <when xml:id="TWSp111" interval="4.38" since="#TW0"/>
                <when xml:id="TWEp111" interval="4.81" since="#TW0"/>
                <when xml:id="TWSp112" interval="4.81" since="#TW0"/>
                <when xml:id="TWEp112" interval="4.88" since="#TW0"/>
                <when xml:id="TWSp113" interval="4.88" since="#TW0"/>
                <when xml:id="TWEp113" interval="4.98" since="#TW0"/>
                <when xml:id="TWSp114" interval="4.98" since="#TW0"/>
                <when xml:id="TWEp114" interval="5.23" since="#TW0"/>
                <when xml:id="TWSp115" interval="5.23" since="#TW0"/>
                <when xml:id="TWEp115" interval="5.59" since="#TW0"/>
```

```
>
                <when xml:id="TWSp116" interval="5.59" since="#TW0"/
>
                <when xml:id="TWEp116" interval="5.73" since="#TW0"/
>
                <when xml:id="TWSp117" interval="5.73" since="#TW0"/
>
                <when xml:id="TWEp117" interval="5.83" since="#TW0"/
>
                <when xml:id="TWSp118" interval="5.83" since="#TW0"/
>
                <when xml:id="TWEp118" interval="5.9" since="#TW0"/>
                <when xml:id="TWSp119" interval="5.9" since="#TW0"/>
                <when xml:id="TWEp119" interval="6.33" since="#TW0"/
>
                <when xml:id="TWSp120" interval="6.33" since="#TW0"/
>
                <when xml:id="TWEp120" interval="7.36" since="#TW0"/
>
                <when xml:id="TWSp121" interval="7.36" since="#TW0"/
>
                <when xml:id="TWEp121" interval="7.7" since="#TW0"/>
                <when xml:id="TWSp122" interval="7.7" since="#TW0"/>
                <when xml:id="TWEp122" interval="8.23" since="#TW0"/
>
                <when xml:id="TWSp123" interval="8.23" since="#TW0"/
>
                <when xml:id="TWEp123" interval="8.61" since="#TW0"/
>
                <when xml:id="TWSp124" interval="8.61" since="#TW0"/
>
                <when xml:id="TWEp124" interval="9.15" since="#TW0"/
>
                <when xml:id="TWSp125" interval="9.15" since="#TW0"/
>
                <when xml:id="TWEp125" interval="9.27" since="#TW0"/
>
                <when xml:id="TWSp126" interval="9.27" since="#TW0"/
>
                <when xml:id="TWEp126" interval="9.46" since="#TW0"/
>
                <when xml:id="TWSp127" interval="9.46" since="#TW0"/
>
                <when xml:id="TWEp127" interval="9.61" since="#TW0"/
>
                <when xml:id="TWSp128" interval="9.61" since="#TW0"/
>
                <when xml:id="TWEp128" interval="9.92" since="#TW0"/
>
                <when xml:id="TWSp129" interval="9.92" since="#TW0"/
>
                <when xml:id="TWEp129" interval="10.13"
since="#TW0"/>
                <when xml:id="TWSp130" interval="10.13"
```

```
since="#TW0"/>
                <when xml:id="TWEp130" interval="10.28"
since="#TW0"/>
                <when xml:id="TWSp131" interval="10.28"
since="#TW0"/>
                <when xml:id="TWEp131" interval="10.41"
since="#TW0"/>
                <when xml:id="TWSp132" interval="10.41"
since="#TW0"/>
                <when xml:id="TWEp132" interval="10.52"
since="#TW0"/>
                <when xml:id="TWSp133" interval="10.52"
since="#TW0"/>
                <when xml:id="TWEp133" interval="10.61"
since="#TW0"/>
                <when xml:id="TWSp134" interval="10.61"
since="#TW0"/>
                <when xml:id="TWEp134" interval="10.86"
since="#TW0"/>
                <when xml:id="TWSp135" interval="10.86"
since="#TW0"/>
                <when xml:id="TWEp135" interval="12.09"
since="#TW0"/>
                <when xml:id="TWSp136" interval="12.09"
since="#TW0"/>
                <when xml:id="TWEp136" interval="30.33"
since="#TW0"/>
                <when xml:id="TWSp137" interval="30.33"
since="#TW0"/>
                <when xml:id="TWEp137" interval="30.76"
since="#TW0"/>
                <when xml:id="TWSp138" interval="30.76"
since="#TW0"/>
                <when xml:id="TWEp138" interval="30.8" since="#TW0"/
>
                <when xml:id="TWSp139" interval="30.8" since="#TW0"/
>
                <when xml:id="TWEp139" interval="31.05"
since="#TW0"/>
                <when xml:id="TWSp140" interval="31.05"
since="#TW0"/>
                <when xml:id="TWEp140" interval="31.28"
since="#TW0"/>
                <when xml:id="TWSp141" interval="31.28"
since="#TW0"/>
                <when xml:id="TWEp141" interval="31.5" since="#TW0"/
>
                <when xml:id="TWSp142" interval="31.5" since="#TW0"/
>
                <when xml:id="TWEp142" interval="32.02"
since="#TW0"/>
                <when xml:id="TWSp143" interval="32.02"
since="#TW0"/>
                <when xml:id="TWEp143" interval="44.76"
```

```xml
since="#TW0"/>
                <when xml:id="TWSp144" interval="44.76"
since="#TW0"/>
                <when xml:id="TWEp144" interval="45.11"
since="#TW0"/>
                <when xml:id="TWSp145" interval="45.11"
since="#TW0"/>
                <when xml:id="TWEp145" interval="45.7" since="#TW0"/
>
                <when xml:id="TWSp146" interval="45.7" since="#TW0"/
>
                <when xml:id="TWEp146" interval="46.12"
since="#TW0"/>
                <when xml:id="TWSp147" interval="46.12"
since="#TW0"/>
                <when xml:id="TWEp147" interval="46.2" since="#TW0"/
>
                <when xml:id="TWSp148" interval="46.2" since="#TW0"/
>
                <when xml:id="TWEp148" interval="46.65"
since="#TW0"/>
                <when xml:id="TWSp149" interval="46.65"
since="#TW0"/>
                <when xml:id="TWEp149" interval="47.34"
since="#TW0"/>
                <when xml:id="TWSp150" interval="47.34"
since="#TW0"/>
                <when xml:id="TWEp150" interval="48.13"
since="#TW0"/>
                <when xml:id="TWSp151" interval="48.13"
since="#TW0"/>
                <when xml:id="TWEp151" interval="55.71"
since="#TW0"/>
                <when xml:id="TWSp152" interval="55.71"
since="#TW0"/>
                <when xml:id="TWEp152" interval="56.06"
since="#TW0"/>
                <when xml:id="TWSp153" interval="56.06"
since="#TW0"/>
                <when xml:id="TWEp153" interval="56.11"
since="#TW0"/>
                <when xml:id="TWSp154" interval="56.11"
since="#TW0"/>
                <when xml:id="TWEp154" interval="56.22"
since="#TW0"/>
                <when xml:id="TWSp155" interval="56.22"
since="#TW0"/>
                <when xml:id="TWEp155" interval="56.45"
since="#TW0"/>
                <when xml:id="TWSp156" interval="56.45"
since="#TW0"/>
                <when xml:id="TWEp156" interval="58.8" since="#TW0"/
>
                <when xml:id="TWSp157" interval="58.8" since="#TW0"/
```

```
>
                    <when xml:id="TWEp157" interval="67.56"
since="#TW0"/>
                    <when xml:id="TWSp158" interval="67.56"
since="#TW0"/>
                    <when xml:id="TWEp158" interval="68.53"
since="#TW0"/>
                    <when xml:id="TWSp159" interval="68.53"
since="#TW0"/>
                    <when xml:id="TWEp159" interval="70.21"
since="#TW0"/>
                    <when xml:id="TWSp160" interval="70.21"
since="#TW0"/>
                    <when xml:id="TWEp160" interval="71.67"
since="#TW0"/>
                    <when xml:id="TWSp161" interval="71.67"
since="#TW0"/>
                    <when xml:id="TWEp161" interval="72.42"
since="#TW0"/>
                    <when xml:id="TWSp162" interval="72.42"
since="#TW0"/>
                    <when xml:id="TWEp162" interval="72.91"
since="#TW0"/>
                    <when xml:id="TWSp163" interval="72.91"
since="#TW0"/>
                    <when xml:id="TWEp163" interval="73.24"
since="#TW0"/>
                    <when xml:id="TWSp164" interval="73.24"
since="#TW0"/>
                    <when xml:id="TWEp164" interval="73.64"
since="#TW0"/>
                    <when xml:id="TWSp165" interval="73.64"
since="#TW0"/>
                    <when xml:id="TWEp165" interval="75.96"
since="#TW0"/>
                    <when xml:id="TWSp166" interval="75.96"
since="#TW0"/>
                    <when xml:id="TWEp166" interval="76.25"
since="#TW0"/>
                    <when xml:id="TWSp167" interval="76.25"
since="#TW0"/>
                    <when xml:id="TWEp167" interval="76.43"
since="#TW0"/>
                    <when xml:id="TWSp168" interval="76.43"
since="#TW0"/>
                    <when xml:id="TWEp168" interval="76.66"
since="#TW0"/>
                    <when xml:id="TWSp169" interval="76.66"
since="#TW0"/>
                    <when xml:id="TWEp169" interval="77.58"
since="#TW0"/>
                    <when xml:id="TWSp170" interval="77.58"
since="#TW0"/>
                    <when xml:id="TWEp170" interval="85.24"
```

```
since="#TW0"/>
                    <when xml:id="TWSp171" interval="85.24"
since="#TW0"/>
                    <when xml:id="TWEp171" interval="85.73"
since="#TW0"/>
                    <when xml:id="TWSp172" interval="85.73"
since="#TW0"/>
                    <when xml:id="TWEp172" interval="86.19"
since="#TW0"/>
                    <when xml:id="TWSp173" interval="86.19"
since="#TW0"/>
                    <when xml:id="TWEp173" interval="86.26"
since="#TW0"/>
                    <when xml:id="TWSp174" interval="86.26"
since="#TW0"/>
                    <when xml:id="TWEp174" interval="86.78"
since="#TW0"/>
                    <when xml:id="TWSp175" interval="86.78"
since="#TW0"/>
                    <when xml:id="TWEp175" interval="86.82"
since="#TW0"/>
                    <when xml:id="TWSp176" interval="86.82"
since="#TW0"/>
                    <when xml:id="TWEp176" interval="87.33"
since="#TW0"/>
                    <when xml:id="TWSp177" interval="87.33"
since="#TW0"/>
                    <when xml:id="TWEp177" interval="87.69"
since="#TW0"/>
                    <when xml:id="TWSp178" interval="87.69"
since="#TW0"/>
                    <when xml:id="TWEp178" interval="88.13"
since="#TW0"/>
                    <when xml:id="TWSp179" interval="88.13"
since="#TW0"/>
                    <when xml:id="TWEp179" interval="88.55336"
since="#TW0"/>
                    <when xml:id="TWSp180" interval="88.55336"
since="#TW0"/>
                    <when xml:id="TWEp180" interval="105.72"
since="#TW0"/>
                    <when xml:id="TWSp181" interval="105.72"
since="#TW0"/>
                    <when xml:id="TWEp181" interval="105.78"
since="#TW0"/>
                    <when xml:id="TWSp182" interval="105.78"
since="#TW0"/>
                    <when xml:id="TWEp182" interval="107.46"
since="#TW0"/>
                    <when xml:id="TWSp183" interval="107.46"
since="#TW0"/>
                    <when xml:id="TWEp183" interval="107.8"
since="#TW0"/>
                    <when xml:id="TWSp184" interval="107.8"
```

```
                                   since="#TW0"/>
                <when xml:id="TWEp184" interval="107.91"
since="#TW0"/>
                <when xml:id="TWSp185" interval="107.91"
since="#TW0"/>
                <when xml:id="TWEp185" interval="108" since="#TW0"/>
                <when xml:id="TWSp186" interval="108" since="#TW0"/>
                <when xml:id="TWEp186" interval="108.18"
since="#TW0"/>
                <when xml:id="TWSp187" interval="108.18"
since="#TW0"/>
                <when xml:id="TWEp187" interval="108.55"
since="#TW0"/>
                <when xml:id="TWSp188" interval="108.55"
since="#TW0"/>
                <when xml:id="TWEp188" interval="108.76"
since="#TW0"/>
                <when xml:id="TWSp189" interval="108.76"
since="#TW0"/>
                <when xml:id="TWEp189" interval="109.94"
since="#TW0"/>
                <when xml:id="TWSp190" interval="109.94"
since="#TW0"/>
                <when xml:id="TWEp190" interval="110.82"
since="#TW0"/>
                <when xml:id="TWSp191" interval="110.82"
since="#TW0"/>
                <when xml:id="TWEp191" interval="111.21"
since="#TW0"/>
                <when xml:id="TWSp192" interval="111.21"
since="#TW0"/>
                <when xml:id="TWEp192" interval="111.28"
since="#TW0"/>
                <when xml:id="TWSp193" interval="111.28"
since="#TW0"/>
                <when xml:id="TWEp193" interval="111.56"
since="#TW0"/>
                <when xml:id="TWSp194" interval="111.56"
since="#TW0"/>
                <when xml:id="TWEp194" interval="111.87"
since="#TW0"/>
                <when xml:id="TWSp195" interval="111.87"
since="#TW0"/>
                <when xml:id="TWEp195" interval="112.03"
since="#TW0"/>
                <when xml:id="TWSp196" interval="112.03"
since="#TW0"/>
                <when xml:id="TWEp196" interval="112.61"
since="#TW0"/>
                <when xml:id="TWSp197" interval="112.61"
since="#TW0"/>
                <when xml:id="TWEp197" interval="118.08"
since="#TW0"/>
                <when xml:id="TWSp198" interval="118.08"
```

```
 since="#TW0"/>
                   <when xml:id="TWEp198" interval="118.18"
 since="#TW0"/>
                   <when xml:id="TWSp199" interval="118.18"
 since="#TW0"/>
                   <when xml:id="TWEp199" interval="130.33"
 since="#TW0"/>
                   <when xml:id="TWSp1100" interval="130.33"
 since="#TW0"/>
                   <when xml:id="TWEp1100" interval="130.75999"
 since="#TW0"/>
                   <when xml:id="TWSp1101" interval="130.75999"
 since="#TW0"/>
                   <when xml:id="TWEp1101" interval="139.36978"
 since="#TW0"/>
                   <when xml:id="TWSp1102" interval="139.36978"
 since="#TW0"/>
                   <when xml:id="TWEp1102" interval="140.07047"
 since="#TW0"/>
                   <when xml:id="TWSp1103" interval="140.07047"
 since="#TW0"/>
                   <when xml:id="TWEp1103" interval="140.43748"
 since="#TW0"/>
                   <when xml:id="TWSp1104" interval="140.43748"
 since="#TW0"/>
                   <when xml:id="TWEp1104" interval="140.70442"
 since="#TW0"/>
                   <when xml:id="TWSp1105" interval="140.70442"
 since="#TW0"/>
                   <when xml:id="TWEp1105" interval="140.98"
 since="#TW0"/>
                   <when xml:id="TWSp1106" interval="140.98"
 since="#TW0"/>
                   <when xml:id="TWEp1106" interval="142.28"
 since="#TW0"/>
                   <when xml:id="TWSp1107" interval="142.28"
 since="#TW0"/>
                   <when xml:id="TWEp1107" interval="153.96001"
 since="#TW0"/>
                   <when xml:id="TWSp1108" interval="153.96001"
 since="#TW0"/>
                   <when xml:id="TWEp1108" interval="154.64999"
 since="#TW0"/>
                   <when xml:id="TWSp1109" interval="154.64999"
 since="#TW0"/>
                   <when xml:id="TWEp1109" interval="155.25999"
 since="#TW0"/>
                   <when xml:id="TWSp1110" interval="155.25999"
 since="#TW0"/>
                   <when xml:id="TWEp1110" interval="155.53"
 since="#TW0"/>
                   <when xml:id="TWSp1111" interval="155.53"
 since="#TW0"/>
                   <when xml:id="TWEp1111" interval="156.39"
```

          since="#TW0"/>
                    <when xml:id="TWSp1112" interval="156.39"
          since="#TW0"/>
                    <when xml:id="TWEp1112" interval="156.5"
          since="#TW0"/>
                    <when xml:id="TWSp1113" interval="156.5"
          since="#TW0"/>
                    <when xml:id="TWEp1113" interval="156.64"
          since="#TW0"/>
                    <when xml:id="TWSp1114" interval="156.64"
          since="#TW0"/>
                    <when xml:id="TWEp1114" interval="156.78999"
          since="#TW0"/>
                    <when xml:id="TWSp1115" interval="156.78999"
          since="#TW0"/>
                    <when xml:id="TWEp1115" interval="156.89999"
          since="#TW0"/>
                    <when xml:id="TWSp1116" interval="156.89999"
          since="#TW0"/>
                    <when xml:id="TWEp1116" interval="157.16"
          since="#TW0"/>
                    <when xml:id="TWSp1117" interval="157.16"
          since="#TW0"/>
                    <when xml:id="TWEp1117" interval="157.25"
          since="#TW0"/>
                    <when xml:id="TWSp1118" interval="157.25"
          since="#TW0"/>
                    <when xml:id="TWEp1118" interval="157.63"
          since="#TW0"/>
                    <when xml:id="TWSp1119" interval="157.63"
          since="#TW0"/>
                    <when xml:id="TWEp1119" interval="158.3"
          since="#TW0"/>
                    <when xml:id="TWSp1120" interval="158.3"
          since="#TW0"/>
                    <when xml:id="TWEp1120" interval="158.38"
          since="#TW0"/>
                    <when xml:id="TWSp1121" interval="158.38"
          since="#TW0"/>
                    <when xml:id="TWEp1121" interval="158.74001"
          since="#TW0"/>
                    <when xml:id="TWSp1122" interval="158.74001"
          since="#TW0"/>
                    <when xml:id="TWEp1122" interval="159.21001"
          since="#TW0"/>
                    <when xml:id="TWSp1123" interval="159.21001"
          since="#TW0"/>
                    <when xml:id="TWEp1123" interval="159.84"
          since="#TW0"/>
                    <when xml:id="TWSp1124" interval="159.84"
          since="#TW0"/>
                    <when xml:id="TWEp1124" interval="161.10001"
          since="#TW0"/>
                    <when xml:id="TWSp1125" interval="161.10001"

```
                                             since="#TW0"/>
                <when xml:id="TWEp1125" interval="161.34"
since="#TW0"/>
                <when xml:id="TWSp1126" interval="161.34"
since="#TW0"/>
                <when xml:id="TWEp1126" interval="161.7"
since="#TW0"/>
                <when xml:id="TWSp1127" interval="161.7"
since="#TW0"/>
                <when xml:id="TWEp1127" interval="161.97"
since="#TW0"/>
                <when xml:id="TWSp1128" interval="161.97"
since="#TW0"/>
                <when xml:id="TWEp1128" interval="162.24001"
since="#TW0"/>
                <when xml:id="TWSp1129" interval="162.24001"
since="#TW0"/>
                <when xml:id="TWEp1129" interval="162.58"
since="#TW0"/>
                <when xml:id="TWSp1130" interval="162.58"
since="#TW0"/>
                <when xml:id="TWEp1130" interval="162.75"
since="#TW0"/>
                <when xml:id="TWSp1131" interval="162.75"
since="#TW0"/>
                <when xml:id="TWEp1131" interval="163.33"
since="#TW0"/>
                <when xml:id="TWSp1132" interval="163.33"
since="#TW0"/>
                <when xml:id="TWEp1132" interval="164.63"
since="#TW0"/>
                <when xml:id="TWSp1133" interval="164.63"
since="#TW0"/>
                <when xml:id="TWEp1133" interval="164.96001"
since="#TW0"/>
                <when xml:id="TWSp20" interval="0" since="#TW0"/>
                <when xml:id="TWEp20" interval="0.96" since="#TW0"/>
                <when xml:id="TWSp21" interval="0.96" since="#TW0"/>
                <when xml:id="TWEp21" interval="1.36" since="#TW0"/>
                <when xml:id="TWSp22" interval="1.36" since="#TW0"/>
                <when xml:id="TWEp22" interval="3.55" since="#TW0"/>
                <when xml:id="TWSp23" interval="3.55" since="#TW0"/>
                <when xml:id="TWEp23" interval="3.92" since="#TW0"/>
                <when xml:id="TWSp24" interval="3.92" since="#TW0"/>
                <when xml:id="TWEp24" interval="6.64" since="#TW0"/>
                <when xml:id="TWSp25" interval="6.64" since="#TW0"/>
                <when xml:id="TWEp25" interval="7.04" since="#TW0"/>
                <when xml:id="TWSp26" interval="7.04" since="#TW0"/>
                <when xml:id="TWEp26" interval="8.4416"
since="#TW0"/>
                <when xml:id="TWSp27" interval="8.4416"
since="#TW0"/>
                <when xml:id="TWEp27" interval="13.11" since="#TW0"/
>
```

```
                <when xml:id="TWSp28" interval="13.11" since="#TW0"/
>
                <when xml:id="TWEp28" interval="13.96" since="#TW0"/
>
                <when xml:id="TWSp29" interval="13.96" since="#TW0"/
>
                <when xml:id="TWEp29" interval="18.44" since="#TW0"/
>
                <when xml:id="TWSp210" interval="18.44"
since="#TW0"/>
                <when xml:id="TWEp210" interval="19.21"
since="#TW0"/>
                <when xml:id="TWSp211" interval="19.21"
since="#TW0"/>
                <when xml:id="TWEp211" interval="23.45"
since="#TW0"/>
                <when xml:id="TWSp212" interval="23.45"
since="#TW0"/>
                <when xml:id="TWEp212" interval="25.19133"
since="#TW0"/>
                <when xml:id="TWSp213" interval="25.19133"
since="#TW0"/>
                <when xml:id="TWEp213" interval="25.69182"
since="#TW0"/>
                <when xml:id="TWSp214" interval="25.69182"
since="#TW0"/>
                <when xml:id="TWEp214" interval="26.18"
since="#TW0"/>
                <when xml:id="TWSp215" interval="26.18"
since="#TW0"/>
                <when xml:id="TWEp215" interval="26.21"
since="#TW0"/>
                <when xml:id="TWSp216" interval="26.21"
since="#TW0"/>
                <when xml:id="TWEp216" interval="27.03"
since="#TW0"/>
                <when xml:id="TWSp217" interval="27.03"
since="#TW0"/>
                <when xml:id="TWEp217" interval="27.66"
since="#TW0"/>
                <when xml:id="TWSp218" interval="27.66"
since="#TW0"/>
                <when xml:id="TWEp218" interval="28.14"
since="#TW0"/>
                <when xml:id="TWSp219" interval="28.14"
since="#TW0"/>
                <when xml:id="TWEp219" interval="28.5" since="#TW0"/
>
                <when xml:id="TWSp220" interval="28.5" since="#TW0"/
>
                <when xml:id="TWEp220" interval="28.76"
since="#TW0"/>
                <when xml:id="TWSp221" interval="28.76"
since="#TW0"/>
```

```
                        <when xml:id="TWEp221" interval="28.79"
since="#TW0"/>
                        <when xml:id="TWSp222" interval="28.79"
since="#TW0"/>
                        <when xml:id="TWEp222" interval="29.11"
since="#TW0"/>
                        <when xml:id="TWSp223" interval="29.11"
since="#TW0"/>
                        <when xml:id="TWEp223" interval="29.12852"
since="#TW0"/>
                        <when xml:id="TWSp224" interval="29.12852"
since="#TW0"/>
                        <when xml:id="TWEp224" interval="29.49554"
since="#TW0"/>
                        <when xml:id="TWSp225" interval="29.49554"
since="#TW0"/>
                        <when xml:id="TWEp225" interval="36.5024"
since="#TW0"/>
                        <when xml:id="TWSp226" interval="36.5024"
since="#TW0"/>
                        <when xml:id="TWEp226" interval="37.43665"
since="#TW0"/>
                        <when xml:id="TWSp227" interval="37.43665"
since="#TW0"/>
                        <when xml:id="TWEp227" interval="38.87139"
since="#TW0"/>
                        <when xml:id="TWSp228" interval="38.87139"
since="#TW0"/>
                        <when xml:id="TWEp228" interval="42.74"
since="#TW0"/>
                        <when xml:id="TWSp229" interval="42.74"
since="#TW0"/>
                        <when xml:id="TWEp229" interval="42.96"
since="#TW0"/>
                        <when xml:id="TWSp230" interval="42.96"
since="#TW0"/>
                        <when xml:id="TWEp230" interval="43.06"
since="#TW0"/>
                        <when xml:id="TWSp231" interval="43.06"
since="#TW0"/>
                        <when xml:id="TWEp231" interval="43.17"
since="#TW0"/>
                        <when xml:id="TWSp232" interval="43.17"
since="#TW0"/>
                        <when xml:id="TWEp232" interval="43.56"
since="#TW0"/>
                        <when xml:id="TWSp233" interval="43.56"
since="#TW0"/>
                        <when xml:id="TWEp233" interval="51.97"
since="#TW0"/>
                        <when xml:id="TWSp234" interval="51.97"
since="#TW0"/>
                        <when xml:id="TWEp234" interval="53.21"
since="#TW0"/>
```

```xml
<when xml:id="TWSp235" interval="53.21" since="#TW0"/>
<when xml:id="TWEp235" interval="53.99" since="#TW0"/>
<when xml:id="TWSp236" interval="53.99" since="#TW0"/>
<when xml:id="TWEp236" interval="54.33" since="#TW0"/>
<when xml:id="TWSp237" interval="54.33" since="#TW0"/>
<when xml:id="TWEp237" interval="54.61" since="#TW0"/>
<when xml:id="TWSp238" interval="54.61" since="#TW0"/>
<when xml:id="TWEp238" interval="55.61" since="#TW0"/>
<when xml:id="TWSp239" interval="55.61" since="#TW0"/>
<when xml:id="TWEp239" interval="62.91" since="#TW0"/>
<when xml:id="TWSp240" interval="62.91" since="#TW0"/>
<when xml:id="TWEp240" interval="63.96262" since="#TW0"/>
<when xml:id="TWSp241" interval="63.96262" since="#TW0"/>
<when xml:id="TWEp241" interval="64.73004" since="#TW0"/>
<when xml:id="TWSp242" interval="64.73004" since="#TW0"/>
<when xml:id="TWEp242" interval="64.99" since="#TW0"/>
<when xml:id="TWSp243" interval="64.99" since="#TW0"/>
<when xml:id="TWEp243" interval="65.43" since="#TW0"/>
<when xml:id="TWSp244" interval="65.43" since="#TW0"/>
<when xml:id="TWEp244" interval="65.55" since="#TW0"/>
<when xml:id="TWSp245" interval="65.55" since="#TW0"/>
<when xml:id="TWEp245" interval="65.87" since="#TW0"/>
<when xml:id="TWSp246" interval="65.87" since="#TW0"/>
<when xml:id="TWEp246" interval="77.29" since="#TW0"/>
<when xml:id="TWSp247" interval="77.29" since="#TW0"/>
<when xml:id="TWEp247" interval="77.44" since="#TW0"/>
<when xml:id="TWSp248" interval="77.44" since="#TW0"/>
```

```
                              <when xml:id="TWEp248" interval="78.49"
since="#TW0"/>
                              <when xml:id="TWSp249" interval="78.49"
since="#TW0"/>
                              <when xml:id="TWEp249" interval="80.92"
since="#TW0"/>
                              <when xml:id="TWSp250" interval="80.92"
since="#TW0"/>
                              <when xml:id="TWEp250" interval="81.52"
since="#TW0"/>
                              <when xml:id="TWSp251" interval="81.52"
since="#TW0"/>
                              <when xml:id="TWEp251" interval="81.67"
since="#TW0"/>
                              <when xml:id="TWSp252" interval="81.67"
since="#TW0"/>
                              <when xml:id="TWEp252" interval="82.45"
since="#TW0"/>
                              <when xml:id="TWSp253" interval="82.45"
since="#TW0"/>
                              <when xml:id="TWEp253" interval="82.59"
since="#TW0"/>
                              <when xml:id="TWSp254" interval="82.59"
since="#TW0"/>
                              <when xml:id="TWEp254" interval="82.85"
since="#TW0"/>
                              <when xml:id="TWSp255" interval="82.85"
since="#TW0"/>
                              <when xml:id="TWEp255" interval="83.38"
since="#TW0"/>
                              <when xml:id="TWSp256" interval="83.38"
since="#TW0"/>
                              <when xml:id="TWEp256" interval="94.36"
since="#TW0"/>
                              <when xml:id="TWSp257" interval="94.36"
since="#TW0"/>
                              <when xml:id="TWEp257" interval="94.92"
since="#TW0"/>
                              <when xml:id="TWSp258" interval="94.92"
since="#TW0"/>
                              <when xml:id="TWEp258" interval="98.16"
since="#TW0"/>
                              <when xml:id="TWSp259" interval="98.16"
since="#TW0"/>
                              <when xml:id="TWEp259" interval="98.44"
since="#TW0"/>
                              <when xml:id="TWSp260" interval="98.44"
since="#TW0"/>
                              <when xml:id="TWEp260" interval="98.8" since="#TW0"/
>
                              <when xml:id="TWSp261" interval="98.8" since="#TW0"/
>
                              <when xml:id="TWEp261" interval="99.39"
since="#TW0"/>
```

```xml
<when xml:id="TWSp262" interval="99.39" since="#TW0"/>
<when xml:id="TWEp262" interval="99.63" since="#TW0"/>
<when xml:id="TWSp263" interval="99.63" since="#TW0"/>
<when xml:id="TWEp263" interval="100.19" since="#TW0"/>
<when xml:id="TWSp264" interval="100.19" since="#TW0"/>
<when xml:id="TWEp264" interval="100.42" since="#TW0"/>
<when xml:id="TWSp265" interval="100.42" since="#TW0"/>
<when xml:id="TWEp265" interval="101.04" since="#TW0"/>
<when xml:id="TWSp266" interval="101.04" since="#TW0"/>
<when xml:id="TWEp266" interval="101.23" since="#TW0"/>
<when xml:id="TWSp267" interval="101.23" since="#TW0"/>
<when xml:id="TWEp267" interval="101.46" since="#TW0"/>
<when xml:id="TWSp268" interval="101.46" since="#TW0"/>
<when xml:id="TWEp268" interval="101.52" since="#TW0"/>
<when xml:id="TWSp269" interval="101.52" since="#TW0"/>
<when xml:id="TWEp269" interval="101.93" since="#TW0"/>
<when xml:id="TWSp270" interval="101.93" since="#TW0"/>
<when xml:id="TWEp270" interval="112.7" since="#TW0"/>
<when xml:id="TWSp271" interval="112.7" since="#TW0"/>
<when xml:id="TWEp271" interval="113.24" since="#TW0"/>
<when xml:id="TWSp272" interval="113.24" since="#TW0"/>
<when xml:id="TWEp272" interval="114.41" since="#TW0"/>
<when xml:id="TWSp273" interval="114.41" since="#TW0"/>
<when xml:id="TWEp273" interval="114.77904" since="#TW0"/>
<when xml:id="TWSp274" interval="114.77904" since="#TW0"/>
<when xml:id="TWEp274" interval="116.04695" since="#TW0"/>
<when xml:id="TWSp275" interval="116.04695" since="#TW0"/>
```

```
                        <when xml:id="TWEp275" interval="116.74763"
since="#TW0"/>
                        <when xml:id="TWSp276" interval="116.74763"
since="#TW0"/>
                        <when xml:id="TWEp276" interval="121.81"
since="#TW0"/>
                        <when xml:id="TWSp277" interval="121.81"
since="#TW0"/>
                        <when xml:id="TWEp277" interval="122.51"
since="#TW0"/>
                        <when xml:id="TWSp278" interval="122.51"
since="#TW0"/>
                        <when xml:id="TWEp278" interval="128.12"
since="#TW0"/>
                        <when xml:id="TWSp279" interval="128.12"
since="#TW0"/>
                        <when xml:id="TWEp279" interval="128.86"
since="#TW0"/>
                        <when xml:id="TWSp280" interval="128.86"
since="#TW0"/>
                        <when xml:id="TWEp280" interval="134.25999"
since="#TW0"/>
                        <when xml:id="TWSp281" interval="134.25999"
since="#TW0"/>
                        <when xml:id="TWEp281" interval="134.49001"
since="#TW0"/>
                        <when xml:id="TWSp282" interval="134.49001"
since="#TW0"/>
                        <when xml:id="TWEp282" interval="135.83"
since="#TW0"/>
                        <when xml:id="TWSp283" interval="135.83"
since="#TW0"/>
                        <when xml:id="TWEp283" interval="135.86"
since="#TW0"/>
                        <when xml:id="TWSp284" interval="135.86"
since="#TW0"/>
                        <when xml:id="TWEp284" interval="135.89999"
since="#TW0"/>
                        <when xml:id="TWSp285" interval="135.89999"
since="#TW0"/>
                        <when xml:id="TWEp285" interval="136.88"
since="#TW0"/>
                        <when xml:id="TWSp286" interval="136.88"
since="#TW0"/>
                        <when xml:id="TWEp286" interval="137.89"
since="#TW0"/>
                        <when xml:id="TWSp287" interval="137.89"
since="#TW0"/>
                        <when xml:id="TWEp287" interval="138.24001"
since="#TW0"/>
                        <when xml:id="TWSp288" interval="138.24001"
since="#TW0"/>
                        <when xml:id="TWEp288" interval="138.75"
since="#TW0"/>
```

```xml
<when xml:id="TWSp289" interval="138.75" since="#TW0"/>
<when xml:id="TWEp289" interval="150.5" since="#TW0"/>
<when xml:id="TWSp290" interval="150.5" since="#TW0"/>
<when xml:id="TWEp290" interval="150.71001" since="#TW0"/>
<when xml:id="TWSp291" interval="150.71001" since="#TW0"/>
<when xml:id="TWEp291" interval="151.61" since="#TW0"/>
<when xml:id="TWSp292" interval="151.61" since="#TW0"/>
<when xml:id="TWEp292" interval="151.64" since="#TW0"/>
<when xml:id="TWSp293" interval="151.64" since="#TW0"/>
<when xml:id="TWEp293" interval="152.25999" since="#TW0"/>
<when xml:id="TWSp294" interval="152.25999" since="#TW0"/>
<when xml:id="TWEp294" interval="152.87" since="#TW0"/>
<when xml:id="TWSp295" interval="152.87" since="#TW0"/>
<when xml:id="TWEp295" interval="160.21001" since="#TW0"/>
<when xml:id="TWSp296" interval="160.21001" since="#TW0"/>
<when xml:id="TWEp296" interval="160.44" since="#TW0"/>
<when xml:id="TWSp297" interval="160.44" since="#TW0"/>
<when xml:id="TWEp297" interval="160.47" since="#TW0"/>
<when xml:id="TWSp298" interval="160.47" since="#TW0"/>
<when xml:id="TWEp298" interval="161.00999" since="#TW0"/>
<when xml:id="TWSp299" interval="161.00999" since="#TW0"/>
<when xml:id="TWEp299" interval="163.47" since="#TW0"/>
<when xml:id="TWSp2100" interval="163.47" since="#TW0"/>
<when xml:id="TWEp2100" interval="163.78" since="#TW0"/>
<when xml:id="TWSp2101" interval="163.78" since="#TW0"/>
<when xml:id="TWEp2101" interval="163.85001" since="#TW0"/>
<when xml:id="TWSp2102" interval="163.85001" since="#TW0"/>
```

```xml
                    <when xml:id="TWEp2102" interval="164.08"
since="#TW0"/>
                    <when xml:id="TWSp2103" interval="164.08"
since="#TW0"/>
                    <when xml:id="TWEp2103" interval="164.31"
since="#TW0"/>
                </timeline>
            </div>
            <div>
                <u who="#p1">
                    <w xml:id="wp10" start="#TWSp10"
end="#TWEp10">hello</w>
                    <w xml:id="wp11" start="#TWSp11"
end="#TWEp11">again</w>
                    <w xml:id="wp12" start="#TWSp12" end="#TWEp12">SIL</
w>
                    <w xml:id="wp13" start="#TWSp13"
end="#TWEp13">ready</w>
                    <w xml:id="wp14" start="#TWSp14" end="#TWEp14">to</
w>
                    <w xml:id="wp15" start="#TWSp15"
end="#TWEp15">start</w>
                    <w xml:id="wp16" start="#TWSp16"
end="#TWEp16">with</w>
                    <w xml:id="wp17" start="#TWSp17" end="#TWEp17">the</
w>
                    <w xml:id="wp18" start="#TWSp18"
end="#TWEp18">next</w>
                    <w xml:id="wp19" start="#TWSp19"
end="#TWEp19">round</w>
                    <w xml:id="wp110" start="#TWSp110"
end="#TWEp110">SIL</w>
                    <w xml:id="wp111" start="#TWSp111"
end="#TWEp111">alright</w>
                    <w xml:id="wp112" start="#TWSp112"
end="#TWEp112">do</w>
                    <w xml:id="wp113" start="#TWSp113"
end="#TWEp113">you</w>
                    <w xml:id="wp114" start="#TWSp114"
end="#TWEp114">still</w>
                    <w xml:id="wp115" start="#TWSp115"
end="#TWEp115">remember</w>
                    <w xml:id="wp116" start="#TWSp116"
end="#TWEp116">all</w>
                    <w xml:id="wp117" start="#TWSp117"
end="#TWEp117">of</w>
                    <w xml:id="wp118" start="#TWSp118"
end="#TWEp118">the</w>
                    <w xml:id="wp119" start="#TWSp119"
end="#TWEp119">rules</w>
                    <w xml:id="wp120" start="#TWSp120"
end="#TWEp120">SIL</w>
                    <w xml:id="wp121" start="#TWSp121"
end="#TWEp121">great</w>
```

```xml
                    <w xml:id="wp122" start="#TWSp122"
end="#TWEp122">SIL</w>
                    <w xml:id="wp123" start="#TWSp123"
end="#TWEp123">alright</w>
                    <w xml:id="wp124" start="#TWSp124"
end="#TWEp124">uhm</w>
                    <w xml:id="wp125" start="#TWSp125"
end="#TWEp125">SIL</w>
                    <w xml:id="wp126" start="#TWSp126"
end="#TWEp126">let's</w>
                    <w xml:id="wp127" start="#TWSp127"
end="#TWEp127">get</w>
                    <w xml:id="wp128" start="#TWSp128"
end="#TWEp128">started</w>
                    <w xml:id="wp129" start="#TWSp129"
end="#TWEp129">then</w>
                    <w xml:id="wp130" start="#TWSp130"
end="#TWEp130">SIL</w>
                    <w xml:id="wp131" start="#TWSp131"
end="#TWEp131">what</w>
                    <w xml:id="wp132" start="#TWSp132"
end="#TWEp132">is</w>
                    <w xml:id="wp133" start="#TWSp133"
end="#TWEp133">your</w>
                    <w xml:id="wp134" start="#TWSp134"
end="#TWEp134">first</w>
                    <w xml:id="wp135" start="#TWSp135"
end="#TWEp135">question</w>
                    <w xml:id="wp136" start="#TWSp136"
end="#TWEp136">SIL</w>
                    <w xml:id="wp137" start="#TWSp137"
end="#TWEp137">my</w>
                    <w xml:id="wp138" start="#TWSp138"
end="#TWEp138">SIL</w>
                    <w xml:id="wp139" start="#TWSp139"
end="#TWEp139">mother</w>
                    <w xml:id="wp140" start="#TWSp140"
end="#TWEp140">tongue</w>
                    <w xml:id="wp141" start="#TWSp141"
end="#TWEp141">is</w>
                    <w xml:id="wp142" start="#TWSp142"
end="#TWEp142">english</w>
                    <w xml:id="wp143" start="#TWSp143"
end="#TWEp143">SIL</w>
                    <w xml:id="wp144" start="#TWSp144"
end="#TWEp144">i</w>
                    <w xml:id="wp145" start="#TWSp145"
end="#TWEp145">am</w>
                    <w xml:id="wp146" start="#TWSp146"
end="#TWEp146">from</w>
                    <w xml:id="wp147" start="#TWSp147"
end="#TWEp147">the</w>
                    <w xml:id="wp148" start="#TWSp148"
end="#TWEp148">united</w>
```

```xml
                    <w xml:id="wp149" start="#TWSp149"
end="#TWEp149">SIL</w>
                    <w xml:id="wp150" start="#TWSp150"
end="#TWEp150">states</w>
                    <w xml:id="wp151" start="#TWSp151"
end="#TWEp151">SIL</w>
                    <w xml:id="wp152" start="#TWSp152"
end="#TWEp152">yes</w>
                    <w xml:id="wp153" start="#TWSp153"
end="#TWEp153">i</w>
                    <w xml:id="wp154" start="#TWSp154"
end="#TWEp154">am</w>
                    <w xml:id="wp155" start="#TWSp155"
end="#TWEp155">still</w>
                    <w xml:id="wp156" start="#TWSp156"
end="#TWEp156">alive</w>
                    <w xml:id="wp157" start="#TWSp157"
end="#TWEp157">SIL</w>
                    <w xml:id="wp158" start="#TWSp158"
end="#TWEp158">i</w>
                    <w xml:id="wp159" start="#TWSp159"
end="#TWEp159">am</w>
                    <w xml:id="wp160" start="#TWSp160"
end="#TWEp160">SIL</w>
                    <w xml:id="wp161" start="#TWSp161"
end="#TWEp161">thir--</w>
                    <w xml:id="wp162" start="#TWSp162"
end="#TWEp162">SIL</w>
                    <w xml:id="wp163" start="#TWSp163"
end="#TWEp163">thirty</w>
                    <w xml:id="wp164" start="#TWSp164"
end="#TWEp164">three</w>
                    <w xml:id="wp165" start="#TWSp165"
end="#TWEp165">SIL</w>
                    <w xml:id="wp166" start="#TWSp166"
end="#TWEp166">thirty</w>
                    <w xml:id="wp167" start="#TWSp167"
end="#TWEp167">three</w>
                    <w xml:id="wp168" start="#TWSp168"
end="#TWEp168">years</w>
                    <w xml:id="wp169" start="#TWSp169"
end="#TWEp169">old</w>
                    <w xml:id="wp170" start="#TWSp170"
end="#TWEp170">SIL</w>
                    <w xml:id="wp171" start="#TWSp171"
end="#TWEp171">i</w>
                    <w xml:id="wp172" start="#TWSp172"
end="#TWEp172">am</w>
                    <w xml:id="wp173" start="#TWSp173"
end="#TWEp173">SIL</w>
                    <w xml:id="wp174" start="#TWSp174"
end="#TWEp174">a</w>
                    <w xml:id="wp175" start="#TWSp175"
end="#TWEp175">SIL</w>
```

```xml
                <w xml:id="wp176" start="#TWSp176"
end="#TWEp176">professional</w>
                <w xml:id="wp177" start="#TWSp177"
end="#TWEp177">tennis</w>
                <w xml:id="wp178" start="#TWSp178"
end="#TWEp178">player</w>
                <w xml:id="wp179" start="#TWSp179"
end="#TWEp179">SIL</w>
                <w xml:id="wp180" start="#TWSp180"
end="#TWEp180">SIL</w>
                <w xml:id="wp181" start="#TWSp181"
end="#TWEp181">i'm</w>
                <w xml:id="wp182" start="#TWSp182"
end="#TWEp182">not</w>
                <w xml:id="wp183" start="#TWSp183"
end="#TWEp183">sure</w>
                <w xml:id="wp184" start="#TWSp184"
end="#TWEp184">if</w>
                <w xml:id="wp185" start="#TWSp185"
end="#TWEp185">i</w>
                <w xml:id="wp186" start="#TWSp186"
end="#TWEp186">can</w>
                <w xml:id="wp187" start="#TWSp187"
end="#TWEp187">answer</w>
                <w xml:id="wp188" start="#TWSp188"
end="#TWEp188">that</w>
                <w xml:id="wp189" start="#TWSp189"
end="#TWEp189">question</w>
                <w xml:id="wp190" start="#TWSp190"
end="#TWEp190">SIL</w>
                <w xml:id="wp191" start="#TWSp191"
end="#TWEp191">no</w>
                <w xml:id="wp192" start="#TWSp192"
end="#TWEp192">i</w>
                <w xml:id="wp193" start="#TWSp193"
end="#TWEp193">can't</w>
                <w xml:id="wp194" start="#TWSp194"
end="#TWEp194">answer</w>
                <w xml:id="wp195" start="#TWSp195"
end="#TWEp195">that</w>
                <w xml:id="wp196" start="#TWSp196"
end="#TWEp196">question</w>
                <w xml:id="wp197" start="#TWSp197"
end="#TWEp197">SIL</w>
                <w xml:id="wp198" start="#TWSp198"
end="#TWEp198">yes</w>
                <w xml:id="wp199" start="#TWSp199"
end="#TWEp199">SIL</w>
                <w xml:id="wp1100" start="#TWSp1100"
end="#TWEp1100">i'm</w>
                <w xml:id="wp1101" start="#TWSp1101"
end="#TWEp1101">SIL</w>
                <w xml:id="wp1102" start="#TWSp1102"
end="#TWEp1102">yes</w>
```

```xml
                <w xml:id="wp1103" start="#TWSp1103"
end="#TWEp1103">I</w>
                <w xml:id="wp1104" start="#TWSp1104"
end="#TWEp1104">am</w>
                <w xml:id="wp1105" start="#TWSp1105"
end="#TWEp1105">very</w>
                <w xml:id="wp1106" start="#TWSp1106"
end="#TWEp1106">successful</w>
                <w xml:id="wp1107" start="#TWSp1107"
end="#TWEp1107">SIL</w>
                <w xml:id="wp1108" start="#TWSp1108"
end="#TWEp1108">no</w>
                <w xml:id="wp1109" start="#TWSp1109"
end="#TWEp1109">SIL</w>
                <w xml:id="wp1110" start="#TWSp1110"
end="#TWEp1110">very</w>
                <w xml:id="wp1111" start="#TWSp1111"
end="#TWEp1111">close</w>
                <w xml:id="wp1112" start="#TWSp1112"
end="#TWEp1112">SIL</w>
                <w xml:id="wp1113" start="#TWSp1113"
end="#TWEp1113">but</w>
                <w xml:id="wp1114" start="#TWSp1114"
end="#TWEp1114">that</w>
                <w xml:id="wp1115" start="#TWSp1115"
end="#TWEp1115">is</w>
                <w xml:id="wp1116" start="#TWSp1116"
end="#TWEp1116">not</w>
                <w xml:id="wp1117" start="#TWSp1117"
end="#TWEp1117">the</w>
                <w xml:id="wp1118" start="#TWSp1118"
end="#TWEp1118">correct</w>
                <w xml:id="wp1119" start="#TWSp1119"
end="#TWEp1119">answer</w>
                <w xml:id="wp1120" start="#TWSp1120"
end="#TWEp1120">SIL</w>
                <w xml:id="wp1121" start="#TWSp1121"
end="#TWEp1121">i'm</w>
                <w xml:id="wp1122" start="#TWSp1122"
end="#TWEp1122">venus</w>
                <w xml:id="wp1123" start="#TWSp1123"
end="#TWEp1123">williams</w>
                <w xml:id="wp1124" start="#TWSp1124"
end="#TWEp1124">SIL</w>
                <w xml:id="wp1125" start="#TWSp1125"
end="#TWEp1125">very</w>
                <w xml:id="wp1126" start="#TWSp1126"
end="#TWEp1126">close</w>
                <w xml:id="wp1127" start="#TWSp1127"
end="#TWEp1127">though</w>
                <w xml:id="wp1128" start="#TWSp1128"
end="#TWEp1128">SIL</w>
                <w xml:id="wp1129" start="#TWSp1129"
end="#TWEp1129">very</w>
```

```xml
                <w xml:id="wp1130" start="#TWSp1130"
end="#TWEp1130">good</w>
                <w xml:id="wp1131" start="#TWSp1131"
end="#TWEp1131">try</w>
                <w xml:id="wp1132" start="#TWSp1132"
end="#TWEp1132">SIL</w>
                <w xml:id="wp1133" start="#TWSp1133"
end="#TWEp1133">alright</w>
            </u>
            <u who="#p2">
                <w xml:id="wp20" start="#TWSp20" end="#TWEp20">SIL</w>
                <w xml:id="wp21" start="#TWSp21"
end="#TWEp21">hello</w>
                <w xml:id="wp22" start="#TWSp22" end="#TWEp22">SIL</w>
                <w xml:id="wp23" start="#TWSp23" end="#TWEp23">mhm</w>
                <w xml:id="wp24" start="#TWSp24" end="#TWEp24">SIL</w>
                <w xml:id="wp25" start="#TWSp25" end="#TWEp25">yes</w>
                <w xml:id="wp26" start="#TWSp26" end="#TWEp26">SIL</w>
                <w xml:id="wp27" start="#TWSp27" end="#TWEp27">SIL</w>
                <w xml:id="wp28" start="#TWSp28" end="#TWEp28">uh</w>
                <w xml:id="wp29" start="#TWSp29" end="#TWEp29">SIL</w>
                <w xml:id="wp210" start="#TWSp210"
end="#TWEp210">uhm</w>
                <w xml:id="wp211" start="#TWSp211"
end="#TWEp211">SIL</w>
                <w xml:id="wp212" start="#TWSp212"
end="#TWEp212">uhm</w>
                <w xml:id="wp213" start="#TWSp213"
end="#TWEp213">what</w>
                <w xml:id="wp214" start="#TWSp214"
end="#TWEp214">is</w>
                <w xml:id="wp215" start="#TWSp215"
end="#TWEp215">SIL</w>
                <w xml:id="wp216" start="#TWSp216"
end="#TWEp216">uh</w>
                <w xml:id="wp217" start="#TWSp217"
end="#TWEp217">SIL</w>
                <w xml:id="wp218" start="#TWSp218"
end="#TWEp218">your</w>
                <w xml:id="wp219" start="#TWSp219"
end="#TWEp219">SIL</w>
                <w xml:id="wp220" start="#TWSp220"
end="#TWEp220">uh</w>
                <w xml:id="wp221" start="#TWSp221"
end="#TWEp221">SIL</w>
```

```xml
<w xml:id="wp222" start="#TWSp222" end="#TWEp222">mother</w>
<w xml:id="wp223" start="#TWSp223" end="#TWEp223">SIL</w>
<w xml:id="wp224" start="#TWSp224" end="#TWEp224">tongue</w>
<w xml:id="wp225" start="#TWSp225" end="#TWEp225">SIL</w>
<w xml:id="wp226" start="#TWSp226" end="#TWEp226">uhm</w>
<w xml:id="wp227" start="#TWSp227" end="#TWEp227">SIL</w>
<w xml:id="wp228" start="#TWSp228" end="#TWEp228">SIL</w>
<w xml:id="wp229" start="#TWSp229" end="#TWEp229">where</w>
<w xml:id="wp230" start="#TWSp230" end="#TWEp230">are</w>
<w xml:id="wp231" start="#TWSp231" end="#TWEp231">you</w>
<w xml:id="wp232" start="#TWSp232" end="#TWEp232">from</w>
<w xml:id="wp233" start="#TWSp233" end="#TWEp233">SIL</w>
<w xml:id="wp234" start="#TWSp234" end="#TWEp234">and</w>
<w xml:id="wp235" start="#TWSp235" end="#TWEp235">SIL</w>
<w xml:id="wp236" start="#TWSp236" end="#TWEp236">you're</w>
<w xml:id="wp237" start="#TWSp237" end="#TWEp237">still</w>
<w xml:id="wp238" start="#TWSp238" end="#TWEp238">alive</w>
<w xml:id="wp239" start="#TWSp239" end="#TWEp239">SIL</w>
<w xml:id="wp240" start="#TWSp240" end="#TWEp240">SIL</w>
<w xml:id="wp241" start="#TWSp241" end="#TWEp241">and</w>
<w xml:id="wp242" start="#TWSp242" end="#TWEp242">how</w>
<w xml:id="wp243" start="#TWSp243" end="#TWEp243">old</w>
<w xml:id="wp244" start="#TWSp244" end="#TWEp244">are</w>
<w xml:id="wp245" start="#TWSp245" end="#TWEp245">you</w>
<w xml:id="wp246" start="#TWSp246" end="#TWEp246">SIL</w>
<w xml:id="wp247" start="#TWSp247" end="#TWEp247">yeah</w>
<w xml:id="wp248" start="#TWSp248" end="#TWEp248">uhm</w>
```

```
                <w xml:id="wp249" start="#TWSp249"
end="#TWEp249">SIL</w>
                <w xml:id="wp250" start="#TWSp250"
end="#TWEp250">and</w>
                <w xml:id="wp251" start="#TWSp251"
end="#TWEp251">SIL</w>
                <w xml:id="wp252" start="#TWSp252"
end="#TWEp252">what</w>
                <w xml:id="wp253" start="#TWSp253"
end="#TWEp253">are</w>
                <w xml:id="wp254" start="#TWSp254"
end="#TWEp254">you</w>
                <w xml:id="wp255" start="#TWSp255"
end="#TWEp255">doing</w>
                <w xml:id="wp256" start="#TWSp256"
end="#TWEp256">SIL</w>
                <w xml:id="wp257" start="#TWSp257"
end="#TWEp257">okay</w>
                <w xml:id="wp258" start="#TWSp258"
end="#TWEp258">SIL</w>
                <w xml:id="wp259" start="#TWSp259"
end="#TWEp259">does</w>
                <w xml:id="wp260" start="#TWSp260"
end="#TWEp260">your</w>
                <w xml:id="wp261" start="#TWSp261"
end="#TWEp261">first</w>
                <w xml:id="wp262" start="#TWSp262"
end="#TWEp262">name</w>
                <w xml:id="wp263" start="#TWSp263"
end="#TWEp263">start</w>
                <w xml:id="wp264" start="#TWSp264"
end="#TWEp264">with</w>
                <w xml:id="wp265" start="#TWSp265"
end="#TWEp265">an</w>
                <w xml:id="wp266" start="#TWSp266"
end="#TWEp266">with</w>
                <w xml:id="wp267" start="#TWSp267"
end="#TWEp267">an</w>
                <w xml:id="wp268" start="#TWSp268"
end="#TWEp268">SIL</w>
                <w xml:id="wp269" start="#TWSp269"
end="#TWEp269">s</w>
                <w xml:id="wp270" start="#TWSp270"
end="#TWEp270">SIL</w>
                <w xml:id="wp271" start="#TWSp271"
end="#TWEp271">okay</w>
                <w xml:id="wp272" start="#TWSp272"
end="#TWEp272">SIL</w>
                <w xml:id="wp273" start="#TWSp273"
end="#TWEp273">SIL</w>
                <w xml:id="wp274" start="#TWSp274"
end="#TWEp274">SIL</w>
                <w xml:id="wp275" start="#TWSp275"
end="#TWEp275">uhm</w>
```

```
                <w xml:id="wp276" start="#TWSp276"
end="#TWEp276">SIL</w>
                <w xml:id="wp277" start="#TWSp277"
end="#TWEp277">mmh</w>
                <w xml:id="wp278" start="#TWSp278"
end="#TWEp278">SIL</w>
                <w xml:id="wp279" start="#TWSp279"
end="#TWEp279">uh</w>
                <w xml:id="wp280" start="#TWSp280"
end="#TWEp280">SIL</w>
                <w xml:id="wp281" start="#TWSp281"
end="#TWEp281">are</w>
                <w xml:id="wp282" start="#TWSp282"
end="#TWEp282">you</w>
                <w xml:id="wp283" start="#TWSp283"
end="#TWEp283">SIL</w>
                <w xml:id="wp284" start="#TWSp284"
end="#TWEp284">uh</w>
                <w xml:id="wp285" start="#TWSp285"
end="#TWEp285">successful</w>
                <w xml:id="wp286" start="#TWSp286"
end="#TWEp286">SIL</w>
                <w xml:id="wp287" start="#TWSp287"
end="#TWEp287">in</w>
                <w xml:id="wp288" start="#TWSp288"
end="#TWEp288">tennis</w>
                <w xml:id="wp289" start="#TWSp289"
end="#TWEp289">SIL</w>
                <w xml:id="wp290" start="#TWSp290"
end="#TWEp290">are</w>
                <w xml:id="wp291" start="#TWSp291"
end="#TWEp291">you</w>
                <w xml:id="wp292" start="#TWSp292"
end="#TWEp292">SIL</w>
                <w xml:id="wp293" start="#TWSp293"
end="#TWEp293">serena</w>
                <w xml:id="wp294" start="#TWSp294"
end="#TWEp294">williams</w>
                <w xml:id="wp295" start="#TWSp295"
end="#TWEp295">SIL</w>
                <w xml:id="wp296" start="#TWSp296"
end="#TWEp296">ah</w>
                <w xml:id="wp297" start="#TWSp297"
end="#TWEp297">SIL</w>
                <w xml:id="wp298" start="#TWSp298"
end="#TWEp298">okay</w>
                <w xml:id="wp299" start="#TWSp299"
end="#TWEp299">SIL</w>
                <w xml:id="wp2100" start="#TWSp2100"
end="#TWEp2100">okay</w>
                <w xml:id="wp2101" start="#TWSp2101"
end="#TWEp2101">SIL</w>
                <w xml:id="wp2102" start="#TWSp2102"
end="#TWEp2102">thank</w>
```

```
                        <w xml:id="wp2103" start="#TWSp2103"
end="#TWEp2103">you</w>
                    </u>
            </div>
            <div>
                    <spanGrp xml:id="vesp1TSKCV0"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV0l1" from="#wp131"/>
                        <span xml:id="tsp1CV0l2" from="#wp132"/>
                        <span xml:id="tsp1CV0l3" from="#wp133"/>
                        <span xml:id="tsp1CV0l4" from="#wp134"/>
                        <span xml:id="tsp1CV0l5" from="#wp135"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV0" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV0"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV1"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV1l1" from="#wp137"/>
                        <span xml:id="tsp1CV1l2" from="#wp139"/>
                        <span xml:id="tsp1CV1l3" from="#wp140"/>
                        <span xml:id="tsp1CV1l4" from="#wp141"/>
                        <span xml:id="tsp1CV1l5" from="#wp142"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV1" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV1"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV2"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV2l1" from="#wp144"/>
                        <span xml:id="tsp1CV2l2" from="#wp145"/>
                        <span xml:id="tsp1CV2l3" from="#wp146"/>
                        <span xml:id="tsp1CV2l4" from="#wp147"/>
                        <span xml:id="tsp1CV2l5" from="#wp148"/>
                        <span xml:id="tsp1CV2l6" from="#wp150"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV2" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV2"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV3"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV3l1" from="#wp152"/>
                        <span xml:id="tsp1CV3l2" from="#wp153"/>
                        <span xml:id="tsp1CV3l3" from="#wp154"/>
                        <span xml:id="tsp1CV3l4" from="#wp155"/>
                        <span xml:id="tsp1CV3l5" from="#wp156"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV3" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV3"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV4"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV4l1" from="#wp158"/>
                        <span xml:id="tsp1CV4l2" from="#wp159"/>
```

```xml
            <span xml:id="tsp1CV4l3" from="#wp163"/>
            <span xml:id="tsp1CV4l4" from="#wp164"/>
        </spanGrp>
        <fs xml:id="fsp1TSKCV4" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp1TSKCV4"/>
        </fs>
        <spanGrp xml:id="vesp1TSKCV5"
type="functionalVerbalSegment">
            <span xml:id="tsp1CV5l1" from="#wp166"/>
            <span xml:id="tsp1CV5l2" from="#wp167"/>
            <span xml:id="tsp1CV5l3" from="#wp168"/>
            <span xml:id="tsp1CV5l4" from="#wp169"/>
        </spanGrp>
        <fs xml:id="fsp1TSKCV5" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp1TSKCV5"/>
        </fs>
        <spanGrp xml:id="vesp1TSKCV6"
type="functionalVerbalSegment">
            <span xml:id="tsp1CV6l1" from="#wp171"/>
            <span xml:id="tsp1CV6l2" from="#wp172"/>
            <span xml:id="tsp1CV6l3" from="#wp174"/>
            <span xml:id="tsp1CV6l4" from="#wp176"/>
            <span xml:id="tsp1CV6l5" from="#wp177"/>
            <span xml:id="tsp1CV6l6" from="#wp178"/>
        </spanGrp>
        <fs xml:id="fsp1TSKCV6" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp1TSKCV6"/>
        </fs>
        <spanGrp xml:id="vesp1TSKCV7"
type="functionalVerbalSegment">
            <span xml:id="tsp1CV7l1" from="#wp191"/>
            <span xml:id="tsp1CV7l2" from="#wp192"/>
            <span xml:id="tsp1CV7l3" from="#wp193"/>
            <span xml:id="tsp1CV7l4" from="#wp194"/>
            <span xml:id="tsp1CV7l5" from="#wp195"/>
            <span xml:id="tsp1CV7l6" from="#wp196"/>
        </spanGrp>
        <fs xml:id="fsp1TSKCV7" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp1TSKCV7"/>
        </fs>
        <spanGrp xml:id="vesp1TSKCV8"
type="functionalVerbalSegment">
            <span xml:id="tsp1CV8l1" from="#wp1102"/>
            <span xml:id="tsp1CV8l2" from="#wp1103"/>
            <span xml:id="tsp1CV8l3" from="#wp1104"/>
            <span xml:id="tsp1CV8l4" from="#wp1105"/>
            <span xml:id="tsp1CV8l5" from="#wp1106"/>
        </spanGrp>
        <fs xml:id="fsp1TSKCV8" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp1TSKCV8"/>
        </fs>
        <spanGrp xml:id="vesp1TSKCV9"
type="functionalVerbalSegment">
            <span xml:id="tsp1CV9l1" from="#wp1108"/>
```

```xml
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV9" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV9"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV10"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV10l1" from="#wp1110"/>
                        <span xml:id="tsp1CV10l2" from="#wp1111"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV10" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV10"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV11"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV11l1" from="#wp1113"/>
                        <span xml:id="tsp1CV11l2" from="#wp1114"/>
                        <span xml:id="tsp1CV11l3" from="#wp1115"/>
                        <span xml:id="tsp1CV11l4" from="#wp1116"/>
                        <span xml:id="tsp1CV11l5" from="#wp1117"/>
                        <span xml:id="tsp1CV11l6" from="#wp1118"/>
                        <span xml:id="tsp1CV11l7" from="#wp1119"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV11" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV11"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSKCV12"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV12l1" from="#wp1121"/>
                        <span xml:id="tsp1CV12l2" from="#wp1122"/>
                        <span xml:id="tsp1CV12l3" from="#wp1123"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSKCV12" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSKCV12"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSMCV0"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV0l1" from="#wp112"/>
                        <span xml:id="tsp1CV0l2" from="#wp113"/>
                        <span xml:id="tsp1CV0l3" from="#wp114"/>
                        <span xml:id="tsp1CV0l4" from="#wp115"/>
                        <span xml:id="tsp1CV0l5" from="#wp116"/>
                        <span xml:id="tsp1CV0l6" from="#wp117"/>
                        <span xml:id="tsp1CV0l7" from="#wp118"/>
                        <span xml:id="tsp1CV0l8" from="#wp119"/>
                    </spanGrp>
                    <fs xml:id="fsp1TSMCV0" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp1TSMCV0"/>
                    </fs>
                    <spanGrp xml:id="vesp1TSMCV1"
type="functionalVerbalSegment">
                        <span xml:id="tsp1CV1l1" from="#wp131"/>
                        <span xml:id="tsp1CV1l2" from="#wp132"/>
                        <span xml:id="tsp1CV1l3" from="#wp133"/>
                        <span xml:id="tsp1CV1l4" from="#wp134"/>
```

```xml
                <span xml:id="tsp1CV1l5" from="#wp135"/>
            </spanGrp>
            <fs xml:id="fsp1TSMCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1TSMCV1"/>
            </fs>
            <spanGrp xml:id="vesp1AUFFB0"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB0l1" from="#wp23"/>
            </spanGrp>
            <fs xml:id="fsp1AUFFB0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1AUFFB0"/>
            </fs>
            <spanGrp xml:id="vesp1AUFCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp111"/>
            </spanGrp>
            <fs xml:id="fsp1AUFCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1AUFCV0"/>
            </fs>
            <spanGrp xml:id="vesp1AUFFB1"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB1l1" from="#wp25"/>
            </spanGrp>
            <fs xml:id="fsp1AUFFB1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1AUFFB1"/>
            </fs>
            <spanGrp xml:id="vesp1AUFCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV1l1" from="#wp121"/>
            </spanGrp>
            <fs xml:id="fsp1AUFCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1AUFCV1"/>
            </fs>
            <spanGrp xml:id="vesp1AUFFB2"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB2l1" from="#wp259"/>
                <span xml:id="tsp1FB2l2" from="#wp260"/>
                <span xml:id="tsp1FB2l3" from="#wp261"/>
                <span xml:id="tsp1FB2l4" from="#wp262"/>
                <span xml:id="tsp1FB2l5" from="#wp263"/>
                <span xml:id="tsp1FB2l6" from="#wp266"/>
                <span xml:id="tsp1FB2l7" from="#wp267"/>
                <span xml:id="tsp1FB2l8" from="#wp269"/>
            </spanGrp>
            <fs xml:id="fsp1AUFFB2" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1AUFFB2"/>
            </fs>
            <spanGrp xml:id="vesp1AUFCV2"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV2l1" from="#wp181"/>
                <span xml:id="tsp1CV2l2" from="#wp182"/>
                <span xml:id="tsp1CV2l3" from="#wp183"/>
                <span xml:id="tsp1CV2l4" from="#wp184"/>
                <span xml:id="tsp1CV2l5" from="#wp185"/>
```

```xml
                    <span xml:id="tsp1CV2l6" from="#wp186"/>
                    <span xml:id="tsp1CV2l7" from="#wp187"/>
                    <span xml:id="tsp1CV2l8" from="#wp188"/>
                    <span xml:id="tsp1CV2l9" from="#wp189"/>
                </spanGrp>
                <fs xml:id="fsp1AUFCV2" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp1AUFCV2"/>
                </fs>
                <spanGrp xml:id="vesp1AUFFB3"
type="functionalVerbalSegment">
                    <span xml:id="tsp1FB3l1" from="#wp259"/>
                    <span xml:id="tsp1FB3l2" from="#wp260"/>
                    <span xml:id="tsp1FB3l3" from="#wp261"/>
                    <span xml:id="tsp1FB3l4" from="#wp262"/>
                    <span xml:id="tsp1FB3l5" from="#wp263"/>
                    <span xml:id="tsp1FB3l6" from="#wp266"/>
                    <span xml:id="tsp1FB3l7" from="#wp267"/>
                    <span xml:id="tsp1FB3l8" from="#wp269"/>
                </spanGrp>
                <fs xml:id="fsp1AUFFB3" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp1AUFFB3"/>
                </fs>
                <spanGrp xml:id="vesp1AUFCV3"
type="functionalVerbalSegment">
                    <span xml:id="tsp1CV3l1" from="#wp191"/>
                    <span xml:id="tsp1CV3l2" from="#wp192"/>
                    <span xml:id="tsp1CV3l3" from="#wp193"/>
                    <span xml:id="tsp1CV3l4" from="#wp194"/>
                    <span xml:id="tsp1CV3l5" from="#wp195"/>
                    <span xml:id="tsp1CV3l6" from="#wp196"/>
                </spanGrp>
                <fs xml:id="fsp1AUFCV3" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp1AUFCV3"/>
                </fs>
                <spanGrp xml:id="vesp1AUFFB4"
type="functionalVerbalSegment">
                    <span xml:id="tsp1FB4l1" from="#wp2102"/>
                    <span xml:id="tsp1FB4l2" from="#wp2103"/>
                </spanGrp>
                <fs xml:id="fsp1AUFFB4" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp1AUFFB4"/>
                </fs>
                <spanGrp xml:id="vesp1AUFCV4"
type="functionalVerbalSegment">
                    <span xml:id="tsp1CV4l1" from="#wp1133"/>
                </spanGrp>
                <fs xml:id="fsp1AUFCV4" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp1AUFCV4"/>
                </fs>
                <spanGrp xml:id="vesp1ALFFB0"
type="functionalVerbalSegment">
                    <span xml:id="tsp1FB0l1" from="#wp23"/>
                </spanGrp>
                <fs xml:id="fsp1ALFFB0" type="functionalSegment">
```

```xml
                <f name="verbalComponent" fVal="#vesp1ALFFB0"/>
            </fs>
            <spanGrp xml:id="vesp1ALFCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp111"/>
            </spanGrp>
            <fs xml:id="fsp1ALFCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFCV0"/>
            </fs>
            <spanGrp xml:id="vesp1ALFFB1"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB1l1" from="#wp25"/>
            </spanGrp>
            <fs xml:id="fsp1ALFFB1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFFB1"/>
            </fs>
            <spanGrp xml:id="vesp1ALFCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV1l1" from="#wp121"/>
            </spanGrp>
            <fs xml:id="fsp1ALFCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFCV1"/>
            </fs>
            <spanGrp xml:id="vesp1ALFFB2"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB2l1" from="#wp290"/>
                <span xml:id="tsp1FB2l2" from="#wp291"/>
                <span xml:id="tsp1FB2l3" from="#wp293"/>
                <span xml:id="tsp1FB2l4" from="#wp294"/>
            </spanGrp>
            <fs xml:id="fsp1ALFFB2" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFFB2"/>
            </fs>
            <spanGrp xml:id="vesp1ALFCV2"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV2l1" from="#wp1110"/>
                <span xml:id="tsp1CV2l2" from="#wp1111"/>
            </spanGrp>
            <fs xml:id="fsp1ALFCV2" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFCV2"/>
            </fs>
            <spanGrp xml:id="vesp1ALFFB3"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB3l1" from="#wp290"/>
                <span xml:id="tsp1FB3l2" from="#wp291"/>
                <span xml:id="tsp1FB3l3" from="#wp293"/>
                <span xml:id="tsp1FB3l4" from="#wp294"/>
            </spanGrp>
            <fs xml:id="fsp1ALFFB3" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFFB3"/>
            </fs>
            <spanGrp xml:id="vesp1ALFCV3"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV3l1" from="#wp1125"/>
```

```
                <span xml:id="tsp1CV3l2" from="#wp1126"/>
                <span xml:id="tsp1CV3l3" from="#wp1127"/>
            </spanGrp>
            <fs xml:id="fsp1ALFCV3" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1ALFCV3"/>
            </fs>
            <spanGrp xml:id="vesp1TUMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp124"/>
            </spanGrp>
            <fs xml:id="fsp1TUMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1TUMCV0"/>
            </fs>
            <spanGrp xml:id="vesp1TIMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp124"/>
            </spanGrp>
            <fs xml:id="fsp1TIMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1TIMCV0"/>
            </fs>
            <spanGrp xml:id="vesp1DISCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp10"/>
                <span xml:id="tsp1CV0l2" from="#wp11"/>
            </spanGrp>
            <fs xml:id="fsp1DISCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1DISCV0"/>
            </fs>
            <spanGrp xml:id="vesp1DISCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV1l1" from="#wp13"/>
                <span xml:id="tsp1CV1l2" from="#wp14"/>
                <span xml:id="tsp1CV1l3" from="#wp15"/>
                <span xml:id="tsp1CV1l4" from="#wp16"/>
                <span xml:id="tsp1CV1l5" from="#wp17"/>
                <span xml:id="tsp1CV1l6" from="#wp18"/>
                <span xml:id="tsp1CV1l7" from="#wp19"/>
            </spanGrp>
            <fs xml:id="fsp1DISCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1DISCV1"/>
            </fs>
            <spanGrp xml:id="vesp1DISCV2"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV2l1" from="#wp123"/>
            </spanGrp>
            <fs xml:id="fsp1DISCV2" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1DISCV2"/>
            </fs>
            <spanGrp xml:id="vesp1DISCV3"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV3l1" from="#wp126"/>
                <span xml:id="tsp1CV3l2" from="#wp127"/>
                <span xml:id="tsp1CV3l3" from="#wp128"/>
                <span xml:id="tsp1CV3l4" from="#wp129"/>
```

```xml
            </spanGrp>
            <fs xml:id="fsp1DISCV3" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1DISCV3"/>
            </fs>
            <spanGrp xml:id="vesp1DISCV4"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV4l1" from="#wp1133"/>
            </spanGrp>
            <fs xml:id="fsp1DISCV4" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1DISCV4"/>
            </fs>
            <spanGrp xml:id="vesp1OCMFB0"
type="functionalVerbalSegment">
                <span xml:id="tsp1FB0l1" from="#wp161"/>
            </spanGrp>
            <fs xml:id="fsp1OCMFB0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1OCMFB0"/>
            </fs>
            <spanGrp xml:id="vesp1OCMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp163"/>
            </spanGrp>
            <fs xml:id="fsp1OCMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1OCMCV0"/>
            </fs>
            <spanGrp xml:id="vesp1SOMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp10"/>
                <span xml:id="tsp1CV0l2" from="#wp11"/>
            </spanGrp>
            <fs xml:id="fsp1SOMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1SOMCV0"/>
            </fs>
            <spanGrp xml:id="vesp1SOMCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV1l1" from="#wp1129"/>
                <span xml:id="tsp1CV1l2" from="#wp1130"/>
                <span xml:id="tsp1CV1l3" from="#wp1131"/>
            </spanGrp>
            <fs xml:id="fsp1SOMCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1SOMCV1"/>
            </fs>
            <spanGrp xml:id="vesp1CTMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp1CV0l1" from="#wp10"/>
                <span xml:id="tsp1CV0l2" from="#wp11"/>
            </spanGrp>
            <fs xml:id="fsp1CTMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp1CTMCV0"/>
            </fs>
            <spanGrp xml:id="vesp2TSKCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp213"/>
                <span xml:id="tsp2CV0l2" from="#wp214"/>
```

```xml
                    <span xml:id="tsp2CV0l3" from="#wp218"/>
                    <span xml:id="tsp2CV0l4" from="#wp222"/>
                    <span xml:id="tsp2CV0l5" from="#wp224"/>
                </spanGrp>
                <fs xml:id="fsp2TSKCV0" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TSKCV0"/>
                </fs>
                <spanGrp xml:id="vesp2TSKCV1"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV1l1" from="#wp229"/>
                    <span xml:id="tsp2CV1l2" from="#wp230"/>
                    <span xml:id="tsp2CV1l3" from="#wp231"/>
                    <span xml:id="tsp2CV1l4" from="#wp232"/>
                </spanGrp>
                <fs xml:id="fsp2TSKCV1" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TSKCV1"/>
                </fs>
                <spanGrp xml:id="vesp2TSKCV2"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV2l1" from="#wp234"/>
                    <span xml:id="tsp2CV2l2" from="#wp236"/>
                    <span xml:id="tsp2CV2l3" from="#wp237"/>
                    <span xml:id="tsp2CV2l4" from="#wp238"/>
                </spanGrp>
                <fs xml:id="fsp2TSKCV2" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TSKCV2"/>
                </fs>
                <spanGrp xml:id="vesp2TSKCV3"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV3l1" from="#wp241"/>
                    <span xml:id="tsp2CV3l2" from="#wp242"/>
                    <span xml:id="tsp2CV3l3" from="#wp243"/>
                    <span xml:id="tsp2CV3l4" from="#wp244"/>
                    <span xml:id="tsp2CV3l5" from="#wp245"/>
                </spanGrp>
                <fs xml:id="fsp2TSKCV3" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TSKCV3"/>
                </fs>
                <spanGrp xml:id="vesp2TSKCV4"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV4l1" from="#wp250"/>
                    <span xml:id="tsp2CV4l2" from="#wp252"/>
                    <span xml:id="tsp2CV4l3" from="#wp253"/>
                    <span xml:id="tsp2CV4l4" from="#wp254"/>
                    <span xml:id="tsp2CV4l5" from="#wp255"/>
                </spanGrp>
                <fs xml:id="fsp2TSKCV4" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TSKCV4"/>
                </fs>
                <spanGrp xml:id="vesp2TSKCV5"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV5l1" from="#wp259"/>
                    <span xml:id="tsp2CV5l2" from="#wp260"/>
                    <span xml:id="tsp2CV5l3" from="#wp261"/>
```

```xml
                <span xml:id="tsp2CV5l4" from="#wp262"/>
                <span xml:id="tsp2CV5l5" from="#wp263"/>
                <span xml:id="tsp2CV5l6" from="#wp269"/>
                <span xml:id="tsp2CV5l7" from="#wp266"/>
                <span xml:id="tsp2CV5l8" from="#wp267"/>
            </spanGrp>
            <fs xml:id="fsp2TSKCV5" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TSKCV5"/>
            </fs>
            <spanGrp xml:id="vesp2TSKCV6"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV6l1" from="#wp281"/>
                <span xml:id="tsp2CV6l2" from="#wp282"/>
                <span xml:id="tsp2CV6l3" from="#wp285"/>
                <span xml:id="tsp2CV6l4" from="#wp287"/>
                <span xml:id="tsp2CV6l5" from="#wp288"/>
            </spanGrp>
            <fs xml:id="fsp2TSKCV6" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TSKCV6"/>
            </fs>
            <spanGrp xml:id="vesp2TSKCV7"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV7l1" from="#wp290"/>
                <span xml:id="tsp2CV7l2" from="#wp291"/>
                <span xml:id="tsp2CV7l3" from="#wp293"/>
                <span xml:id="tsp2CV7l4" from="#wp294"/>
            </spanGrp>
            <fs xml:id="fsp2TSKCV7" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TSKCV7"/>
            </fs>
            <spanGrp xml:id="vesp2TSMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp25"/>
            </spanGrp>
            <fs xml:id="fsp2TSMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TSMCV0"/>
            </fs>
            <spanGrp xml:id="vesp2TSMCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV1l1" from="#wp213"/>
                <span xml:id="tsp2CV1l2" from="#wp214"/>
                <span xml:id="tsp2CV1l3" from="#wp218"/>
                <span xml:id="tsp2CV1l4" from="#wp222"/>
                <span xml:id="tsp2CV1l5" from="#wp224"/>
            </spanGrp>
            <fs xml:id="fsp2TSMCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TSMCV1"/>
            </fs>
            <spanGrp xml:id="vesp2AUFFB0"
type="functionalVerbalSegment">
                <span xml:id="tsp2FB0l1" from="#wp166"/>
                <span xml:id="tsp2FB0l2" from="#wp167"/>
                <span xml:id="tsp2FB0l3" from="#wp168"/>
                <span xml:id="tsp2FB0l4" from="#wp169"/>
```

```xml
                </spanGrp>
                <fs xml:id="fsp2AUFFB0" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFFB0"/>
                </fs>
                <spanGrp xml:id="vesp2AUFCV0"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV0l1" from="#wp247"/>
                </spanGrp>
                <fs xml:id="fsp2AUFCV0" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFCV0"/>
                </fs>
                <spanGrp xml:id="vesp2AUFFB1"
type="functionalVerbalSegment">
                    <span xml:id="tsp2FB1l1" from="#wp171"/>
                    <span xml:id="tsp2FB1l2" from="#wp172"/>
                    <span xml:id="tsp2FB1l3" from="#wp174"/>
                    <span xml:id="tsp2FB1l4" from="#wp176"/>
                    <span xml:id="tsp2FB1l5" from="#wp177"/>
                    <span xml:id="tsp2FB1l6" from="#wp178"/>
                </spanGrp>
                <fs xml:id="fsp2AUFFB1" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFFB1"/>
                </fs>
                <spanGrp xml:id="vesp2AUFCV1"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV1l1" from="#wp257"/>
                </spanGrp>
                <fs xml:id="fsp2AUFCV1" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFCV1"/>
                </fs>
                <spanGrp xml:id="vesp2AUFFB2"
type="functionalVerbalSegment">
                    <span xml:id="tsp2FB2l1" from="#wp191"/>
                    <span xml:id="tsp2FB2l2" from="#wp192"/>
                    <span xml:id="tsp2FB2l3" from="#wp193"/>
                    <span xml:id="tsp2FB2l4" from="#wp194"/>
                    <span xml:id="tsp2FB2l5" from="#wp195"/>
                    <span xml:id="tsp2FB2l6" from="#wp196"/>
                </spanGrp>
                <fs xml:id="fsp2AUFFB2" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFFB2"/>
                </fs>
                <spanGrp xml:id="vesp2AUFCV2"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV2l1" from="#wp271"/>
                </spanGrp>
                <fs xml:id="fsp2AUFCV2" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2AUFCV2"/>
                </fs>
                <spanGrp xml:id="vesp2AUFFB3"
type="functionalVerbalSegment">
                    <span xml:id="tsp2FB3l1" from="#wp1121"/>
                    <span xml:id="tsp2FB3l2" from="#wp1122"/>
                    <span xml:id="tsp2FB3l3" from="#wp1123"/>
```

```xml
            </spanGrp>
            <fs xml:id="fsp2AUFFB3" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2AUFFB3"/>
            </fs>
            <spanGrp xml:id="vesp2AUFCV3"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV3l1" from="#wp296"/>
                <span xml:id="tsp2CV3l2" from="#wp298"/>
            </spanGrp>
            <fs xml:id="fsp2AUFCV3" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2AUFCV3"/>
            </fs>
            <spanGrp xml:id="vesp2AUFFB4"
type="functionalVerbalSegment">
                <span xml:id="tsp2FB4l1" from="#wp1129"/>
                <span xml:id="tsp2FB4l2" from="#wp1130"/>
                <span xml:id="tsp2FB4l3" from="#wp1131"/>
            </spanGrp>
            <fs xml:id="fsp2AUFFB4" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2AUFFB4"/>
            </fs>
            <spanGrp xml:id="vesp2AUFCV4"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV4l1" from="#wp2100"/>
            </spanGrp>
            <fs xml:id="fsp2AUFCV4" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2AUFCV4"/>
            </fs>
            <spanGrp xml:id="vesp2TUMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp28"/>
            </spanGrp>
            <fs xml:id="fsp2TUMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TUMCV0"/>
            </fs>
            <spanGrp xml:id="vesp2TUMCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV1l1" from="#wp210"/>
            </spanGrp>
            <fs xml:id="fsp2TUMCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TUMCV1"/>
            </fs>
            <spanGrp xml:id="vesp2TUMCV2"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV2l1" from="#wp212"/>
            </spanGrp>
            <fs xml:id="fsp2TUMCV2" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TUMCV2"/>
            </fs>
            <spanGrp xml:id="vesp2TUMCV3"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV3l1" from="#wp216"/>
            </spanGrp>
            <fs xml:id="fsp2TUMCV3" type="functionalSegment">
```

```xml
                    <f name="verbalComponent" fVal="#vesp2TUMCV3"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV4"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV4l1" from="#wp220"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV4" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV4"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV5"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV5l1" from="#wp226"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV5" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV5"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV6"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV6l1" from="#wp234"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV6" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV6"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV7"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV7l1" from="#wp241"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV7" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV7"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV8"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV8l1" from="#wp248"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV8" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV8"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV9"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV9l1" from="#wp250"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV9" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV9"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV10"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV10l1" from="#wp257"/>
                </spanGrp>
                <fs xml:id="fsp2TUMCV10" type="functionalSegment">
                    <f name="verbalComponent" fVal="#vesp2TUMCV10"/>
                </fs>
                <spanGrp xml:id="vesp2TUMCV11"
type="functionalVerbalSegment">
                    <span xml:id="tsp2CV11l1" from="#wp275"/>
```

```xml
                    </spanGrp>
                    <fs xml:id="fsp2TUMCV11" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TUMCV11"/>
                    </fs>
                    <spanGrp xml:id="vesp2TUMCV12"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV12l1" from="#wp277"/>
                    </spanGrp>
                    <fs xml:id="fsp2TUMCV12" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TUMCV12"/>
                    </fs>
                    <spanGrp xml:id="vesp2TUMCV13"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV13l1" from="#wp279"/>
                    </spanGrp>
                    <fs xml:id="fsp2TUMCV13" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TUMCV13"/>
                    </fs>
                    <spanGrp xml:id="vesp2TUMCV14"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV14l1" from="#wp284"/>
                    </spanGrp>
                    <fs xml:id="fsp2TUMCV14" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TUMCV14"/>
                    </fs>
                    <spanGrp xml:id="vesp2TIMCV0"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV0l1" from="#wp28"/>
                    </spanGrp>
                    <fs xml:id="fsp2TIMCV0" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TIMCV0"/>
                    </fs>
                    <spanGrp xml:id="vesp2TIMCV1"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV1l1" from="#wp210"/>
                    </spanGrp>
                    <fs xml:id="fsp2TIMCV1" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TIMCV1"/>
                    </fs>
                    <spanGrp xml:id="vesp2TIMCV2"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV2l1" from="#wp212"/>
                    </spanGrp>
                    <fs xml:id="fsp2TIMCV2" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TIMCV2"/>
                    </fs>
                    <spanGrp xml:id="vesp2TIMCV3"
type="functionalVerbalSegment">
                        <span xml:id="tsp2CV3l1" from="#wp216"/>
                    </spanGrp>
                    <fs xml:id="fsp2TIMCV3" type="functionalSegment">
                        <f name="verbalComponent" fVal="#vesp2TIMCV3"/>
                    </fs>
                    <spanGrp xml:id="vesp2TIMCV4"
```

```
type="functionalVerbalSegment">
            <span xml:id="tsp2CV4l1" from="#wp220"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV4" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV4"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV5"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV5l1" from="#wp226"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV5" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV5"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV6"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV6l1" from="#wp234"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV6" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV6"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV7"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV7l1" from="#wp241"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV7" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV7"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV8"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV8l1" from="#wp248"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV8" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV8"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV9"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV9l1" from="#wp250"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV9" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV9"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV10"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV10l1" from="#wp275"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV10" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV10"/>
        </fs>
        <spanGrp xml:id="vesp2TIMCV11"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV11l1" from="#wp277"/>
        </spanGrp>
        <fs xml:id="fsp2TIMCV11" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2TIMCV11"/>
```

```xml
            </fs>
            <spanGrp xml:id="vesp2TIMCV12"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV12l1" from="#wp279"/>
            </spanGrp>
            <fs xml:id="fsp2TIMCV12" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TIMCV12"/>
            </fs>
            <spanGrp xml:id="vesp2TIMCV13"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV13l1" from="#wp284"/>
            </spanGrp>
            <fs xml:id="fsp2TIMCV13" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2TIMCV13"/>
            </fs>
            <spanGrp xml:id="vesp2DISCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp21"/>
            </spanGrp>
            <fs xml:id="fsp2DISCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2DISCV0"/>
            </fs>
            <spanGrp xml:id="vesp2DISCV1"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV1l1" from="#wp23"/>
            </spanGrp>
            <fs xml:id="fsp2DISCV1" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2DISCV1"/>
            </fs>
            <spanGrp xml:id="vesp2OCMFB0"
type="functionalVerbalSegment">
                <span xml:id="tsp2FB0l1" from="#wp264"/>
                <span xml:id="tsp2FB0l2" from="#wp265"/>
            </spanGrp>
            <fs xml:id="fsp2OCMFB0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2OCMFB0"/>
            </fs>
            <spanGrp xml:id="vesp2OCMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp266"/>
                <span xml:id="tsp2CV0l2" from="#wp267"/>
            </spanGrp>
            <fs xml:id="fsp2OCMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2OCMCV0"/>
            </fs>
            <spanGrp xml:id="vesp2SOMCV0"
type="functionalVerbalSegment">
                <span xml:id="tsp2CV0l1" from="#wp21"/>
            </spanGrp>
            <fs xml:id="fsp2SOMCV0" type="functionalSegment">
                <f name="verbalComponent" fVal="#vesp2SOMCV0"/>
            </fs>
            <spanGrp xml:id="vesp2SOMCV1"
type="functionalVerbalSegment">
```

```xml
            <span xml:id="tsp2CV1l1" from="#wp2102"/>
            <span xml:id="tsp2CV1l2" from="#wp2103"/>
        </spanGrp>
        <fs xml:id="fsp2SOMCV1" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2SOMCV1"/>
        </fs>
        <spanGrp xml:id="vesp2CTMCV0"
type="functionalVerbalSegment">
            <span xml:id="tsp2CV0l1" from="#wp21"/>
        </spanGrp>
        <fs xml:id="fsp2CTMCV0" type="functionalSegment">
            <f name="verbalComponent" fVal="#vesp2CTMCV0"/>
        </fs>
    </div>
    <diaml
        xmlns="http://www.iso.org/diaml">
        <dialogueAct xml:id="dap1TSK0" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="setQuestion"
target="#fsp1TSKCV0"/>
        <dialogueAct xml:id="dap1TSK1" sender="#p1"
addressee="#p2" dimension="task" functionalDependence="#dap2TSK0"
communicativeFunction="setAnswer" target="#fsp1TSKCV1"/>
        <dialogueAct xml:id="dap1TSK2" sender="#p1"
addressee="#p2" dimension="task" functionalDependence="#dap2TSK1"
communicativeFunction="setAnswer" target="#fsp1TSKCV2"/>
        <dialogueAct xml:id="dap1TSK3" sender="#p1"
addressee="#p2" dimension="task" functionalDependence="#dap2TSK2"
communicativeFunction="propositionalAnswer" target="#fsp1TSKCV3"/>
        <dialogueAct xml:id="dap1TSK4" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="setAnswer"
functionalDependence="#dap2TSK3" target="#fsp1TSKCV4"/>
        <dialogueAct xml:id="dap1TSK5" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="setAnswer"
functionalDependence="#dap2TSK3" target="#fsp1TSKCV5"/>
        <rhetoricalLink dact="#dap1TSK5"
rhetoAntecedent="#dap1TSK4" rhetoRel="elaboration"/>
        <dialogueAct xml:id="dap1TSK6" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="setAnswer"
functionalDependence="#dap2TSK4" target="#fsp1TSKCV6"/>
        <dialogueAct xml:id="dap1TSK7" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="answer"
functionalDependence="#dap2TSK5" target="#fsp1TSKCV7"/>
        <dialogueAct xml:id="dap1TSK8" sender="#p1"
addressee="#p2" dimension="task" functionalDependence="#dap2TSK6"
communicativeFunction="propositionalAnswer" target="#fsp1TSKCV8"/>
        <dialogueAct xml:id="dap1TSK9" sender="#p1"
addressee="#p2" dimension="task" functionalDependence="#dap2TSK7"
communicativeFunction="disconfirm" target="#fsp1TSKCV9"/>
        <dialogueAct xml:id="dap1TSK10" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="inform"
target="#fsp1TSKCV10"/>
        <dialogueAct xml:id="dap1TSK11" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="inform"
target="#fsp1TSKCV11"/>
```

```xml
          <rhetoricalLink dact="#dap1TSK11"
rhetoAntecedent="#dap1TSK10" rhetoRel="contrast"/>
          <dialogueAct xml:id="dap1TSK12" sender="#p1"
addressee="#p2" dimension="task" communicativeFunction="inform"
target="#fsp1TSKCV12"/>
          <dialogueAct xml:id="dap1TSM0" sender="#p1"
addressee="#p2" dimension="taskManagement"
communicativeFunction="propositionalQuestion" target="#fsp1TSMCV0"/>
          <dialogueAct xml:id="dap1TSM1" sender="#p1"
addressee="#p2" dimension="taskManagement"
communicativeFunction="request" target="#fsp1TSMCV1"/>
          <dialogueAct xml:id="dap1AUF0" sender="#p1"
addressee="#p2" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp1AUFFB0" target="#fsp1AUFCV0"/>
          <dialogueAct xml:id="dap1AUF1" sender="#p1"
addressee="#p2" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp1AUFFB1" target="#fsp1AUFCV1"/>
          <dialogueAct xml:id="dap1AUF2" sender="#p1"
addressee="#p2" dimension="autoFeedback"
communicativeFunction="inform" certainty="certain"
feedbackDependence="#fsp1AUFFB2" target="#fsp1AUFCV2"/>
          <dialogueAct xml:id="dap1AUF3" sender="#p1"
addressee="#p2" dimension="autoFeedback"
communicativeFunction="inform" certainty="uncertain"
feedbackDependence="#fsp1AUFFB3" target="#fsp1AUFCV3"/>
          <rhetoricalLink dact="#dap1AUF3"
rhetoAntecedent="#dap1AUF2" rhetoRel="elaboration"/>
          <dialogueAct xml:id="dap1AUF4" sender="#p1"
addressee="#p2" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp1AUFFB4" target="#fsp1AUFCV4"/>
          <dialogueAct xml:id="dap1ALF0" sender="#p1"
addressee="#p2" dimension="alloFeedback"
communicativeFunction="alloPositive"
feedbackDependence="#fsp1ALFFB0" target="#fsp1ALFCV0"/>
          <dialogueAct xml:id="dap1ALF1" sender="#p1"
addressee="#p2" dimension="alloFeedback"
communicativeFunction="alloPositive"
feedbackDependence="#fsp1ALFFB1" target="#fsp1ALFCV1"/>
          <dialogueAct xml:id="dap1ALF2" sender="#p1"
addressee="#p2" dimension="alloFeedback"
communicativeFunction="alloPositive"
feedbackDependence="#fsp1ALFFB2" target="#fsp1ALFCV2"/>
          <dialogueAct xml:id="dap1ALF3" sender="#p1"
addressee="#p2" dimension="alloFeedback"
communicativeFunction="alloPositive"
feedbackDependence="#fsp1ALFFB3" target="#fsp1ALFCV3"/>
          <dialogueAct xml:id="dap1TUM0" sender="#p1"
addressee="#p2" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp1TUMCV0"/>
          <dialogueAct xml:id="dap1TIM0" sender="#p1"
addressee="#p2" dimension="timeManagement"
```

```xml
                communicativeFunction="stalling" target="#fsp1TIMCV0"/>
            <dialogueAct xml:id="dap1DIS0" sender="#p1"
addressee="#p2" dimension="discourseStructuring"
communicativeFunction="opening" target="#fsp1DISCV0"/>
            <dialogueAct xml:id="dap1DIS1" sender="#p1"
addressee="#p2" dimension="discourseStructuring"
communicativeFunction="checkQuestion" target="#fsp1DISCV1"/>
            <dialogueAct xml:id="dap1DIS2" sender="#p1"
addressee="#p2" dimension="discourseStructuring"
communicativeFunction="interactionStructuring" target="#fsp1DISCV2"/
>
            <dialogueAct xml:id="dap1DIS3" sender="#p1"
addressee="#p2" dimension="discourseStructuring"
communicativeFunction="suggest" target="#fsp1DISCV3"/>
            <dialogueAct xml:id="dap1DIS4" sender="#p1"
addressee="#p2" dimension="discourseStructuring"
communicativeFunction="closing" target="#fsp1DISCV4"/>
            <dialogueAct xml:id="dap1OCM0" sender="#p1"
addressee="#p2" dimension="ownCommunicationManagement"
communicativeFunction="selfCorrection"
feedbackDependence="#fsp1OCMFB0" target="#fsp1OCMCV0"/>
            <dialogueAct xml:id="dap1SOM0" sender="#p1"
addressee="#p2" dimension="socialObligationManagement"
target="#fsp1SOMCV0" communicativeFunction="initGreeting"/>
            <dialogueAct xml:id="dap1SOM1" sender="#p1"
addressee="#p2" dimension="socialObligationManagement"
target="#fsp1SOMCV1" communicativeFunction="congratulation"/>
            <dialogueAct xml:id="dap1CTM0" sender="#p1"
addressee="#p2" dimension="contactManagement"
communicativeFunction="contactIndication" target="#fsp1CTMCV0"/>
            <dialogueAct xml:id="dap2TSK0" sender="#p2"
addressee="#p1" dimension="task" communicativeFunction="setQuestion"
target="#fsp2TSKCV0"/>
            <dialogueAct xml:id="dap2TSK1" sender="#p2"
addressee="#p1" dimension="task" communicativeFunction="setQuestion"
target="#fsp2TSKCV1"/>
            <dialogueAct xml:id="dap2TSK2" sender="#p2"
addressee="#p1" dimension="task"
communicativeFunction="propositionalQuestion" target="#fsp2TSKCV2"/>
            <dialogueAct xml:id="dap2TSK3" sender="#p2"
addressee="#p1" dimension="task" communicativeFunction="setQuestion"
target="#fsp2TSKCV3"/>
            <dialogueAct xml:id="dap2TSK4" sender="#p2"
addressee="#p1" dimension="task" communicativeFunction="setQuestion"
target="#fsp2TSKCV4"/>
            <dialogueAct xml:id="dap2TSK5" sender="#p2"
addressee="#p1" dimension="task"
communicativeFunction="propositionalQuestion" target="#fsp2TSKCV5"/>
            <dialogueAct xml:id="dap2TSK6" sender="#p2"
addressee="#p1" dimension="task"
communicativeFunction="propositionalQuestion" target="#fsp2TSKCV6"/>
            <dialogueAct xml:id="dap2TSK7" sender="#p2"
addressee="#p1" dimension="task" communicativeFunction="guess"
target="#fsp2TSKCV7"/>
```

```xml
            <dialogueAct xml:id="dap2TSM0" sender="#p2"
addressee="#p1" dimension="taskManagement"
communicativeFunction="propositionalAnswer"
functionalDependence="#dap1TSM0" target="#fsp2TSMCV0"/>
            <dialogueAct xml:id="dap2TSM1" sender="#p2"
addressee="#p1" dimension="taskManagement"
communicativeFunction="addressRequest"
functionalDependence="#dap1TSM1" target="#fsp2TSMCV1"/>
            <dialogueAct xml:id="dap2AUF0" sender="#p2"
addressee="#p1" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp2AUFFB0" target="#fsp2AUFCV0"/>
            <dialogueAct xml:id="dap2AUF1" sender="#p2"
addressee="#p1" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp2AUFFB1" target="#fsp2AUFCV1"/>
            <dialogueAct xml:id="dap2AUF2" sender="#p2"
addressee="#p1" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp2AUFFB2" target="#fsp2AUFCV2"/>
            <dialogueAct xml:id="dap2AUF3" sender="#p2"
addressee="#p1" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp2AUFFB3" target="#fsp2AUFCV3"/>
            <dialogueAct xml:id="dap2AUF4" sender="#p2"
addressee="#p1" dimension="autoFeedback"
communicativeFunction="autoPositive"
feedbackDependence="#fsp2AUFFB4" target="#fsp2AUFCV4"/>
            <dialogueAct xml:id="dap2TUM0" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnAccept" target="#fsp2TUMCV0"/>
            <dialogueAct xml:id="dap2TUM1" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV1"/>
            <dialogueAct xml:id="dap2TUM2" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV2"/>
            <dialogueAct xml:id="dap2TUM3" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV3"/>
            <dialogueAct xml:id="dap2TUM4" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV4"/>
            <dialogueAct xml:id="dap2TUM5" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnTake" target="#fsp2TUMCV5"/>
            <dialogueAct xml:id="dap2TUM6" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnTake" target="#fsp2TUMCV6"/>
            <dialogueAct xml:id="dap2TUM7" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnTake" target="#fsp2TUMCV7"/>
            <dialogueAct xml:id="dap2TUM8" sender="#p2"
addressee="#p1" dimension="turnManagement"
```

```
                communicativeFunction="turnKeep" target="#fsp2TUMCV8"/>
                <dialogueAct xml:id="dap2TUM9" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnTake" target="#fsp2TUMCV9"/>
                <dialogueAct xml:id="dap2TUM10" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnTake" target="#fsp2TUMCV10"/>
                <dialogueAct xml:id="dap2TUM11" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV11"/>
                <dialogueAct xml:id="dap2TUM12" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV12"/>
                <dialogueAct xml:id="dap2TUM13" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV13"/>
                <dialogueAct xml:id="dap2TUM14" sender="#p2"
addressee="#p1" dimension="turnManagement"
communicativeFunction="turnKeep" target="#fsp2TUMCV14"/>
                <dialogueAct xml:id="dap2TIM0" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV0"/>
                <dialogueAct xml:id="dap2TIM1" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV1"/>
                <dialogueAct xml:id="dap2TIM2" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV2"/>
                <dialogueAct xml:id="dap2TIM3" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV3"/>
                <dialogueAct xml:id="dap2TIM4" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV4"/>
                <dialogueAct xml:id="dap2TIM5" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV5"/>
                <dialogueAct xml:id="dap2TIM6" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV6"/>
                <dialogueAct xml:id="dap2TIM7" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV7"/>
                <dialogueAct xml:id="dap2TIM8" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV8"/>
                <dialogueAct xml:id="dap2TIM9" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV9"/>
                <dialogueAct xml:id="dap2TIM10" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV10"/>
                <dialogueAct xml:id="dap2TIM11" sender="#p2"
addressee="#p1" dimension="timeManagement"
```

```
communicativeFunction="stalling" target="#fsp2TIMCV11"/>
            <dialogueAct xml:id="dap2TIM12" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV12"/>
            <dialogueAct xml:id="dap2TIM13" sender="#p2"
addressee="#p1" dimension="timeManagement"
communicativeFunction="stalling" target="#fsp2TIMCV13"/>
            <dialogueAct xml:id="dap2DIS0" sender="#p2"
addressee="#p1" dimension="discourseStructuring"
functionalDependence="#dap1DIS0" communicativeFunction="opening"
target="#fsp2DISCV0"/>
            <dialogueAct xml:id="dap2DIS1" sender="#p2"
addressee="#p1" dimension="discourseStructuring"
communicativeFunction="confirm" functionalDependence="#dap1DIS1"
target="#fsp2DISCV1"/>
            <dialogueAct xml:id="dap2OCM0" sender="#p2"
addressee="#p1" dimension="ownCommunicationManagement"
communicativeFunction="selfCorrection"
feedbackDependence="#fsp2OCMFB0" target="#fsp2OCMCV0"/>
            <dialogueAct xml:id="dap2SOM0" sender="#p2"
addressee="#p1" dimension="socialObligationManagement"
functionalDependence="#dap1SOM0" target="#fsp2SOMCV0"
communicativeFunction="returnGreeting"/>
            <dialogueAct xml:id="dap2SOM1" sender="#p2"
addressee="#p1" dimension="socialObligationManagement"
functionalDependence="#dap1SOM1" target="#fsp2SOMCV1"
communicativeFunction="thanking"/>
            <dialogueAct xml:id="dap2CTM0" sender="#p2"
addressee="#p1" dimension="contactManagement"
communicativeFunction="contactIndication" target="#fsp2CTMCV0"/>
        </diaml>
    </text>
</TEI>
```